

DUPOW

PRODUCT CATALOGUE

314 selected product families
across 9 active categories



Professional tools. Built for your market.

dupowtools.com

NINGBO HOPES IMPORT AND EXPORT CO., LTD.

Ningbo Hopes Import and Export Co., Ltd. is an export-focused trading company established in Ningbo in 2014. Operating under the DUPOW brand, we help small and midsize importers, distributors, DIY channels and professional retailers build practical assortments across tools, workshop equipment and garden products.

Our team combines more than 20 years of industry and supply-chain experience with direct, model-level coordination. We support product selection, specification alignment, packaging, documentation, order follow-up and export handover.

2014

company established

20+

years of category experience

314

current product families

9

active product categories

WHAT WE SUPPORT

01

RANGE PLANNING

Market-focused product selection and range planning

02

MODEL ALIGNMENT

Model-level specifications and configuration alignment

03

PACKING DATA

Carton dimensions, quantities and weight data by model

04

DOCUMENTATION

Compliance-document coordination by model and destination market

05

ORDER FOLLOW-UP

Order follow-up, production milestones and open-item tracking

06

EXPORT HANDOVER

Export documentation and coordinated shipment handover

CLEAR PRODUCT DATA | PRACTICAL COORDINATION | RELIABLE EXPORT HANDOVER

CATALOGUE CONTENTS

Nine active categories. One direct model page for every selected product family.

01	PAINTING & SURFACE FINISHING	4-6
	17 product families	
02	WOODWORKING & BENCHTOP TOOLS	7-12
	44 product families	
03	HANDHELD SAWS & CUTTING	13-21
	65 product families	
04	DRILLING & FASTENING	22-24
	20 product families	
05	SANDING & SURFACE PREPARATION	25-28
	26 product families	
06	GRINDING & POLISHING	29-34
	45 product families	
07	AUTOMOTIVE & WORKSHOP EQUIPMENT	35-36
	12 product families	
08	GARDEN & OUTDOOR EQUIPMENT	37-41
	36 product families	
09	POWER GENERATION & ENGINES	42-48
	49 product families	

DIGITAL CATALOGUE

Visit our website for the latest catalogue information and B2B enquiry options.

dupowtools.com

CATEGORY 01 | 17 PRODUCT FAMILIES

PAINTING & SURFACE FINISHING

**DUP-AS-001****700W Compact Airless Paint Sprayer**

- Motor power: 700 W
- Motor type: Universal motor
- Pressure control: Mechanical
- Flow rate: 1.2 L/min
- Maximum tip size: 0.017 in

PACKING

Outer carton: 37 × 29 × 43 cm
Quantity: 1 set/ctn
N.W. / G.W.: 8.6 / 9.6 kg

MODEL SPECIFICATIONS**DUP-AS-002****700W High-Cart Airless Paint Sprayer**

- Motor power: 700 W
- Motor type: Universal brush motor
- Pressure control: Mechanical + electronic
- Flow rate: 1.2 L/min
- Maximum tip size: 0.017 in

PACKING

Outer carton: 45 × 45 × 45 cm
Quantity: 1 set/ctn
N.W. / G.W.: To be confirmed

MODEL SPECIFICATIONS**DUP-AS-003****1000W Semi-Professional Airless Paint Sprayer**

- Motor power: 1000 W
- Motor type: Universal brush motor
- Pressure control: Mechanical + electronic
- Flow rate: 1.5 L/min
- Maximum tip size: 0.019 in

PACKING

Outer carton: 37 × 29 × 43 cm
Quantity: 1 set/ctn
N.W. / G.W.: 10.1 / 11.6 kg

MODEL SPECIFICATIONS**DUP-AS-004****1000W High-Cart Airless Paint Sprayer**

- Motor power: 1000 W
- Motor type: Universal brush motor
- Pressure control: Mechanical + electronic
- Flow rate: 1.5 L/min
- Maximum tip size: 0.019 in

PACKING

Outer carton: To be confirmed
Quantity: 1 set/ctn
N.W. / G.W.: To be confirmed

MODEL SPECIFICATIONS**DUP-AS-005****1000W Mechanical-Control Professional Airless Paint Sprayer**

- Motor power: 1000 W
- Pressure control: Mechanical
- Flow rate: 1.8 L/min
- Maximum tip size: 0.021 in
- Maximum working pressure: 210 bar / 3045 psi

PACKING

Outer carton: 49 × 37.8 × 46 cm
Quantity: 1 set/ctn
N.W. / G.W.: 15.5 / 17.8 kg

MODEL SPECIFICATIONS**DUP-AS-006****1000W Electronic-Control Professional Airless Paint Sprayer**

- Motor power: 1000 W
- Pressure control: Electronic
- Flow rate: 1.8 L/min
- Maximum tip size: 0.021 in
- Maximum working pressure: 210 bar / 3045 psi

PACKING

Outer carton: 49 × 37.8 × 46 cm
Quantity: 1 set/ctn
N.W. / G.W.: 16.3 / 18.3 kg

MODEL SPECIFICATIONS

CATEGORY 01 | 17 PRODUCT FAMILIES

PAINTING & SURFACE FINISHING

**DUP-MX-001****900/1200W Variable-Speed Power Mixer**

- Rated voltage: 110 V / 240 V
- Frequency: 50/60 Hz
- Rated input: 900 W / 1200 W
- No-load speed: 0-900 rpm
- Tool connection: M14

PACKING

Outer carton: 685 × 365 × 485 mm
Quantity: 6 pcs/ctn
N.W. / G.W.: To be confirmed / 25.5 kg

MODEL SPECIFICATIONS**DUP-MX-002****900/1200W Dual-Grip Variable-Speed Power Mixer**

- Rated voltage: 110 V / 240 V
- Frequency: 50/60 Hz
- Rated input: 900 W / 1200 W
- No-load speed: 0-900 rpm
- Tool connection: M14

PACKING

Outer carton: 685 × 365 × 485 mm
Quantity: 6 pcs/ctn
N.W. / G.W.: To be confirmed / 25.5 kg

MODEL SPECIFICATIONS**DUP-SG-001****18V 900 ml Cordless Paint Sprayer**

- Battery voltage: 18 V DC
- Rated current: 14.5 A
- Paint cup: 900 ml
- Water flow rate: 750 ml/min
- Maximum viscosity: 60 DIN-s

PACKING

Outer carton: 58 × 29 × 28 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: 5.5 kg / 6.5 kg

MODEL SPECIFICATIONS**DUP-SG-002****20V Max 900 ml Cordless Paint Sprayer**

- Battery voltage: 18 V nominal / 20 V Max
- Paint cup: 900 ml
- Water flow rate: 650 ml/min
- Maximum viscosity: 60 DIN-s
- Standard nozzle: 2.5 mm plastic

PACKING

Outer carton: 31 × 27.5 × 46 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: 7.0 kg / 8.0 kg

MODEL SPECIFICATIONS**DUP-HG-001****20V Max LCD Cordless Heat Gun**

- Battery voltage: 18 V nominal / 20 V Max
- Rated current: 16 A / 18 A
- Temperature: Stage I: 30-400 °C; Stage II: 30-550 °C
- Air flow: Stage I: 100 L/min; Stage II: 200 L/min
- Runtime: 13 min with 4.0 Ah battery

PACKING

Outer carton: 37.5 × 35.5 × 24.5 cm
Quantity: 8 pcs/ctn
N.W. / G.W.: 6.5 kg / 6.9 kg

MODEL SPECIFICATIONS**DUP-HG-002****18V Compact Cordless Heat Gun**

- Battery voltage: 18 V DC
- Rated current: 16 A
- Temperature: 550 °C
- Air flow: 200 L/min
- Runtime: 15.5 min with 4.0 Ah battery

PACKING

Outer carton: 35.5 × 34 × 23.5 cm
Quantity: 8 pcs/ctn
N.W. / G.W.: 6.5 kg / 6.9 kg

MODEL SPECIFICATIONS

CATEGORY 01 | 17 PRODUCT FAMILIES

PAINTING & SURFACE FINISHING

**DUP-SG-003****400W 800 ml Electric Paint Sprayer**

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Rated input: 400 W
- Working pressure: 0.1-0.2 bar
- Water flow rate: 700 ml/min

PACKING

Outer carton: 31 × 27.5 × 46 cm
 Quantity: 4 pcs/ctn
 N.W. / G.W.: 7.0 kg / 8.0 kg

MODEL SPECIFICATIONS**DUP-SG-004****400W 900/1200 ml HVLP Paint Sprayer**

- Voltage: 220-240 V
- Frequency: 50 Hz
- Rated input: 400 W
- Water flow rate: 800 ml/min
- Maximum viscosity: 70 DIN-s

PACKING

Outer carton: 56 × 29.5 × 28 cm
 Quantity: 4 pcs/ctn
 N.W. / G.W.: 7.2 kg / 8.0 kg

MODEL SPECIFICATIONS**DUP-SG-005****500W 900/1200 ml HVLP Paint Sprayer**

- Voltage: 220-240 V
- Frequency: 50 Hz
- Rated input: 500 W
- Water flow rate: 900 ml/min
- Maximum viscosity: 100 DIN-s

PACKING

Outer carton: 56 × 29.5 × 28 cm
 Quantity: 4 pcs/ctn
 N.W. / G.W.: 7.5 kg / 8.3 kg

MODEL SPECIFICATIONS**DUP-HG-003****1800W Two-Stage Heat Gun**

- Voltage: 220-240 V
- Frequency: 50 Hz
- Rated input: 1,800 W
- Temperature / air flow: Stage I: 400 °C / 300 L/min; Stage II: 600 °C / 500 L/min
- Power cord: 1.8 m VDE

PACKING

Outer carton: 48.5 × 38.5 × 25.5 cm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: 8.0 kg / 9.0 kg

MODEL SPECIFICATIONS**DUP-HG-004****2000W LCD Variable-Temperature Heat Gun**

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Rated input: 2,000 W
- Heating element: Ceramic
- Temperature / air flow: Stage I: 50 °C / 250-500 L/min; Stage II: 50-650 °C / ...

PACKING

Outer carton: 55 × 36 × 29 cm
 Quantity: 5 pcs/ctn
 N.W. / G.W.: 10.5 kg / 11.5 kg

MODEL SPECIFICATIONS

CATEGORY 02 | 44 PRODUCT FAMILIES

WOODWORKING & BENCHTOP TOOLS



DUP-TS-001

250 mm 1500W Table Saw with Extension Tables

- Voltage / frequency: 230 V / 50 Hz
- Power: 1500 W
- No-load speed: 4700 rpm
- Blade: Ø250 × Ø30 × 2.8 mm / 24T

PACKING

Outer carton: 68 × 52 × 33 cm
Quantity: 1 pc/ctn
N.W. / G.W.: 23 / 25 kg

MODEL SPECIFICATIONS



DUP-TS-002

210 mm 1400W Portable Table Saw

- Voltage / frequency: 230 V / 50 Hz
- Power: 1400 W
- No-load speed: 4200 rpm
- Blade: Ø210 × Ø30 × 2.6 mm / 24T

PACKING

Outer carton: 59 × 49 × 35 cm
Quantity: 1 pc/ctn
N.W. / G.W.: 12.5/13.5 kg; ext. 14.5/15.8 kg

MODEL SPECIFICATIONS



DUP-TS-003

210 mm Compact Table Saw

- Voltage / frequency: 230 V / 50 Hz
- Power: S1 1500 W / S6 1800 W
- No-load speed: 4700 rpm
- Blade: Ø210 × Ø30 × 2.6 mm / 24T

PACKING

Outer carton: 55 × 54 × 37.5 cm
Quantity: 1 pc/ctn
N.W. / G.W.: 13.4 / 14.8 kg

MODEL SPECIFICATIONS



DUP-TS-004

210 mm Extended-Table Saw

- Voltage / frequency: 230 V / 50 Hz
- Power: S1 1500 W / S6 1800 W
- No-load speed: 4700 rpm
- Blade: Ø210 × Ø30 × 2.6 mm / 24T

PACKING

Outer carton: 55 × 54 × 37.5 cm
Quantity: 1 pc/ctn
N.W. / G.W.: 14 / 15.4 kg

MODEL SPECIFICATIONS



DUP-PL-001

710W 82 mm Electric Planer

- Rated voltage / frequency: 230-240 V / 50 Hz
- Rated input: 710 W
- No-load speed: 17,000 rpm
- Planing width: 82 mm

PACKING

Outer carton: 520 × 320 × 370 mm
Quantity: 6 pcs/ctn
N.W. / G.W.: 18.7 kg / 19.7 kg

MODEL SPECIFICATIONS



DUP-PL-002

900W 82 mm Electric Planer

- Rated voltage / frequency: 230-240 V / 50 Hz
- Rated input: 900 W
- No-load speed: 16,000 rpm
- Planing width: 82 mm

PACKING

Outer carton: 520 × 320 × 370 mm
Quantity: 6 pcs/ctn
N.W. / G.W.: 20.3 kg / 21.3 kg

MODEL SPECIFICATIONS



DUP-PL-003

20V Brushless 82 mm Cordless Planer

- Battery voltage: 20 V
- Motor type: Brushless / 5220
- No-load speed: 12,000 rpm
- Planing width: 82 mm

PACKING

Outer carton: 352 × 335 × 420 mm
Quantity: 4 pcs/ctn
N.W. / G.W.: 11.7 kg / 12.7 kg

MODEL SPECIFICATIONS



DUP-BJ-001

750W 100 mm Biscuit Jointer

- Rated voltage / frequency: 230-240 V / 50 Hz
- Rated input: 750 W
- No-load speed: 11,000 rpm
- Blade diameter: 100 mm

PACKING

Outer carton: To be confirmed
Quantity: To be confirmed
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS

CATEGORY 02 | 44 PRODUCT FAMILIES

WOODWORKING & BENCHTOP TOOLS

 DUP-BJ-002 20V Cordless Biscuit Jointer - Battery voltage: 18 V DC (20V Max platform) - No-load speed: 8,000 rpm - Disc: 100 × 3.8 × 6T - Biscuit sizes: No. 0, No. 10 and No. 20 PACKING Outer carton: 49,5 × 48 × 29,5 cm Quantity: 4 pcs/ctn N.W. / G.W.: 1.9 kg / 2.0 kg MODEL SPECIFICATIONS	 DUP-BJ-003 20V Cordless Biscuit Jointer B - Battery voltage: 18 V DC (20V Max platform) - No-load speed: 8,000 rpm - Disc: 100 × 3.8 × 6T - Biscuit sizes: No. 0, No. 10 and No. 20 PACKING Outer carton: 49,5 × 48 × 29,5 cm Quantity: 4 pcs/ctn N.W. / G.W.: 2.0 kg / 2.2 kg MODEL SPECIFICATIONS	 DUP-MS-001 20V 185 mm Cordless Mitre Saw - Battery: 18 V, 4 Ah (20V Max platform) - No-load speed: 3,600 rpm - Saw blade: 185 × 1.8 × 30 × 40T mm - Cutting capacity 0° × 0°: 203 × 51 mm PACKING Outer carton: 650 × 450 × 380 mm Quantity: 1 pc/ctn N.W. / G.W.: 9.5 kg / 12 kg MODEL SPECIFICATIONS	 DUP-MS-002 20V 185 mm Sliding Cordless Mitre Saw - Battery: 18 V, 4 Ah (20V Max platform) - No-load speed: 3,600 rpm - Saw blade: 185 × 1.8 × 30 × 40T mm - Cutting capacity 0° × 0°: 203 × 51 mm PACKING Outer carton: 655 × 455 × 340 mm Quantity: 1 pc/ctn N.W. / G.W.: 9.5 kg / 12 kg MODEL SPECIFICATIONS
 DUP-MS-003 20V 210 mm Cordless Mitre Saw - Battery: 18 V, 4 Ah (20V Max platform) - No-load speed: 3,000 rpm - Saw blade: 210 × 1.8 × 30 × 40T mm - Cutting capacity 0° × 0°: 120 × 60 mm PACKING Outer carton: 560 × 355 × 330 mm Quantity: 1 pc/ctn N.W. / G.W.: 8.2 kg / 9.5 kg MODEL SPECIFICATIONS	 DUP-MS-004 20V 210 mm Sliding Cordless Mitre Saw - Battery: 18 V, 4 Ah (20V Max platform) - No-load speed: 3,600 rpm - Saw blade: 210 × 1.8 × 30 × 40T mm - Cutting capacity 0° × 0°: 220 × 70 mm PACKING Outer carton: 655 × 455 × 340 mm Quantity: 1 pc/ctn N.W. / G.W.: 9.5 kg / 12 kg MODEL SPECIFICATIONS	 DUP-MS-005 1500W 185 mm Sliding Mitre Saw - Voltage/frequency: 230 V~50 Hz / 120 V~60 Hz - Input power: 1,500 W / 9.5 A - No-load speed: 5,000 rpm - Saw blade: 185 mm PACKING Outer carton: 655 × 455 × 340 mm Quantity: 1 pc/ctn N.W. / G.W.: 9.5 kg / 12 kg MODEL SPECIFICATIONS	 DUP-MS-006 1500W 210 mm Sliding Mitre Saw - Voltage/frequency: 230 V~50 Hz / 120 V~60 Hz - Input power: 1,500 W / 9.5 A - No-load speed: 5,000 rpm - Saw blade: 210 mm PACKING Outer carton: 740 × 490 × 340 mm Quantity: 1 pc/ctn N.W. / G.W.: 10.5 kg / 12 kg MODEL SPECIFICATIONS

CATEGORY 02 | 44 PRODUCT FAMILIES

WOODWORKING & BENCHTOP TOOLS



DUP-MS-007
1500W 210 mm Compact Mitre Saw
• Voltage/frequency: 230 V~50 Hz / 120 V~60 Hz
• Input power: 1,500 W / 11 A
• No-load speed: 4,500 rpm
• Saw blade: 210 mm

PACKING
Outer carton: 560 × 365 × 330 mm
Quantity: 1 pc/ctn
N.W. / G.W.: 8.2 kg / 9.5 kg

MODEL SPECIFICATIONS



DUP-MS-008
2000W 255 mm Sliding Mitre Saw
• Voltage/frequency: 230 V~50 Hz / 120 V~60 Hz
• Input power: 2,000 W / 15 A
• No-load speed: 5,000 rpm
• Saw blade: 255 mm

PACKING
Outer carton: 840 × 570 × 435 mm
Quantity: 1 pc/ctn
N.W. / G.W.: 16 kg / 19.5 kg

MODEL SPECIFICATIONS



DUP-MS-009
1500W 210 mm Compact Mitre Saw II
• Voltage/frequency: 230 V~50 Hz / 120 V~60 Hz
• Input power: 1,500 W / 11 A
• No-load speed: 5,000 rpm
• Saw blade: 210 mm

PACKING
Outer carton: 475 × 360 × 330 mm
Quantity: 1 pc/ctn
N.W. / G.W.: 6 kg / 7 kg

MODEL SPECIFICATIONS



DUP-MS-010
2000W 255 mm Compact Mitre Saw
• Voltage/frequency: 230 V~50 Hz / 120 V~60 Hz
• Input power: 2,000 W / 15 A
• No-load speed: 5,000 rpm
• Saw blade: 255 mm

PACKING
Outer carton: 550 × 450 × 385 mm
Quantity: 1 pc/ctn
N.W. / G.W.: 10 kg / 12.5 kg

MODEL SPECIFICATIONS



DUP-MS-011
2000W 255 mm Double-Bevel Sliding Mitre Saw
• Voltage/frequency: 220-240 V, 50 Hz
• Input power: 2,000 W / 9.5 A
• No-load speed: 5,000 rpm
• Saw blade: 255 mm

PACKING
Outer carton: 870 × 520 × 415 mm
Quantity: 1 pc/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS



DUP-MS-012
2000W 305 mm Sliding Mitre Saw
• Voltage/frequency: 220-240 V, 50 Hz
• Input power: 2,000 W / 9.5 A
• No-load speed: 5,000 rpm
• Saw blade: 305 mm

PACKING
Outer carton: 750 × 590 × 400 mm
Quantity: 1 pc/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS



DUP-TS-005
2000W 250 mm Steel-Table Saw
• Voltage/frequency: 220-240 V, 50/60 Hz
• Power: S1 1,800 W; S6 25% 2,000 W
• No-load speed: 5,000 rpm
• Table material: Steel

PACKING
Outer carton: 710 × 620 × 330 mm
Quantity: 1 pc/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS

CATEGORY 02 | 44 PRODUCT FAMILIES

WOODWORKING & BENCHTOP TOOLS



DUP-TS-006

2000W 250 mm Aluminium-Table Saw

- Voltage/frequency: 220-240 V, 50/60 Hz
- Power: S1 1,800 W; S6 25% 2,000 W
- No-load speed: 5,000 rpm
- Table material: Aluminium

PACKING

Outer carton: 780 × 700 × 355 mm
Quantity: 1 pc/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS



DUP-TS-007

2000W 250 mm Compact Steel-Table Saw

- Voltage/frequency: 220-240 V, 50/60 Hz
- Power: S1 1,800 W; S6 25% 2,000 W
- No-load speed: 5,000 rpm
- Table material: Steel

PACKING

Outer carton: 710 × 620 × 330 mm
Quantity: 1 pc/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS



DUP-TS-008

2000W 250 mm Wide-Extension Table Saw

- Voltage/frequency: 220-240 V, 50/60 Hz
- Power: S1 1,800 W; S6 25% 2,000 W
- No-load speed: 5,000 rpm
- Table material: Aluminium

PACKING

Outer carton: 910 × 750 × 370 mm
Quantity: 1 pc/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS



DUP-TS-009

15A 210 mm Compact Table Saw

- Voltage/frequency: 120 V, 60 Hz
- Rated current: 15 A
- No-load speed: 4,300 rpm
- Saw blade: 210 mm, 40T

PACKING

Outer carton: 74 × 59 × 33 cm
Quantity: 1 pc/ctn
N.W. / G.W.: 16 kg / 18.3 kg

MODEL SPECIFICATIONS



DUP-TS-010

15A 254 mm Aluminium-Table Saw

- Voltage/frequency: 120 V, 60 Hz
- Rated current: 15 A
- No-load speed: 5,000 rpm
- Saw blade: 254 mm

PACKING

Outer carton: 780 × 700 × 355 mm
Quantity: 1 pc/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS



DUP-TS-011

2000W 254 mm Extension Table Saw

- Voltage/frequency: 220-240 V, 50 Hz
- Power: S1 1,800 W; S6 25% 2,000 W
- No-load speed: 4,700 rpm
- Saw blade: 254 × 30 × 24T mm

PACKING

Outer carton: 700 × 660 × 325 mm
Quantity: 1 pc/ctn
N.W. / G.W.: 20 kg / To be confirmed

MODEL SPECIFICATIONS



DUP-TS-012

15A 254 mm Steel-Table Saw

- Voltage/frequency: 120 V, 60 Hz
- Rated current: 15 A
- No-load speed: 5,000 rpm
- Saw blade: 254 mm

PACKING

Outer carton: 710 × 620 × 330 mm
Quantity: 1 pc/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS

CATEGORY 02 | 44 PRODUCT FAMILIES

WOODWORKING & BENCHTOP TOOLS

**DUP-TS-013****1800W 254 mm Table Saw**

- Voltage/frequency: 120 V, 60 Hz / 220-240 V, 50 Hz
- Rated input: 15 A / 1,800 W
- Saw blade: 254 mm
- Maximum cutting height: 88.9 mm at 90°; 63.5 mm at 45°

PACKING

Outer carton: To be confirmed

Quantity: 1 pc/ctn

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-TS-014****11A 210 mm Compact Table Saw**

- Voltage/frequency: 120 V, 60 Hz
- Rated current: 11 A
- No-load speed: 5,000 rpm
- Saw blade: 210 mm

PACKING

Outer carton: 650 × 570 × 330 mm

Quantity: 1 pc/ctn

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-TS-015****2000W 250 mm Stand Table Saw**

- Voltage/frequency: 220-240 V, 50 Hz
- Power: S1 1,800 W; S6 25% 2,000 W
- No-load speed: 5,000 rpm
- Saw blade: 250 × 30 × 24T mm

PACKING

Outer carton: 75 × 72 × 33 cm

Quantity: 1 pc/ctn

N.W. / G.W.: 20 kg / 22 kg

MODEL SPECIFICATIONS**DUP-PL-004****1200W Benchtop Planer**

- Voltage range as printed: 20-240 V
- Frequency: 50/60 Hz
- Rated input: 1,200 W / 10 A
- No-load speed: 6,000 rpm

PACKING

Outer carton: 810 × 290 × 310 mm

Quantity: 1 pc/ctn

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-PL-005****1500W 330 mm Thickness Planer**

- Voltage: 120-240 V
- Frequency: 50/60 Hz
- Rated input: 1,500 W / 13 A
- No-load speed: 8,500 rpm

PACKING

Outer carton: 810 × 290 × 310 mm

Quantity: 1 pc/ctn

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-BJ-004****1010W 100 mm Biscuit Jointer**

- Voltage/frequency: 110-240 V, 50/60 Hz
- Rated input: 1,010 W / 8.5 A
- No-load speed: 12,000 rpm
- Disc: 100 × 3.8 × 6T mm

PACKING

Outer carton: 55 × 51 × 26 cm

Quantity: 3 pcs/ctn

N.W. / G.W.: 15 kg / 16.3 kg

MODEL SPECIFICATIONS**DUP-BJ-005****1010W 100 mm Biscuit Jointer A**

- Voltage/frequency: 110-240 V, 50/60 Hz
- Rated input: 1,010 W / 8 A
- No-load speed: 12,000 rpm
- Disc: 100 × 3.8 × 6T mm

PACKING

Outer carton: 55 × 51 × 24 cm

Quantity: 3 pcs/ctn

N.W. / G.W.: 15 kg / 16.3 kg

MODEL SPECIFICATIONS

CATEGORY 02 | 44 PRODUCT FAMILIES

WOODWORKING & BENCHTOP TOOLS



DUP-RT-001
1200W 6 / 8 mm
Variable-Speed Plunge Router

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1200 W
- No-load speed: 10000-28000 rpm
- Collet sizes: 6 mm and 8 mm

PACKING

Outer carton: 35 × 29 × 56 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS



DUP-RT-002
710W Variable-Speed
Compact Router

- Voltage: 220-240 V / 120 V
- Frequency: 50/60 Hz
- Rated input: 710 W / 6.5 A
- No-load speed: 12,000-30,000 rpm

PACKING

Outer carton: 72 × 25 × 24 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 20.5 kg

MODEL SPECIFICATIONS



DUP-RT-003
550W Compact Router

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Rated input: 550 W
- No-load speed: 30,000 rpm

PACKING

Outer carton: 72 × 25 × 24 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 20.5 kg

MODEL SPECIFICATIONS



DUP-RT-004
1200W Variable-Speed
Plunge Router

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Rated input: 1,200 W
- No-load speed: 12,000-28,000 rpm

PACKING

Outer carton: 58 × 43 × 27 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: To be confirmed / 13 kg

MODEL SPECIFICATIONS



DUP-RT-005
2100W Variable-Speed
Plunge Router

- Voltage: 220-240 V / 120 V
- Frequency: 50/60 Hz
- Rated input: 2,100 W / 15 A
- No-load speed: 12,000-23,000 rpm

PACKING

Outer carton: 66 × 36 × 33 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: To be confirmed / 28 kg

MODEL SPECIFICATIONS



DUP-PL-006
1200W 110 mm Electric
Planer

- Voltage: 220-240 V / 120 V
- Frequency: 50/60 Hz
- Rated input: 1,200 W / 10 A
- No-load speed: 16,000 rpm

PACKING

Outer carton: 42 × 37.5 × 22 cm
Quantity: 2 pcs/ctn
N.W. / G.W.: To be confirmed / 12 kg

MODEL SPECIFICATIONS



DUP-PL-007
750W 82 mm Electric
Planer

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Rated input: 750 W
- No-load speed: 16,800 rpm

PACKING

Outer carton: 34 × 32 × 37 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: To be confirmed / 12.5 kg

MODEL SPECIFICATIONS

CATEGORY 03 | 65 PRODUCT FAMILIES

HANDHELD SAWS & CUTTING

**DUP-CS-001****1300W 165 mm Circular Saw**

- Rated voltage / frequency: 220-240 V / 50 Hz
- Rated input: 1,300 W
- No-load speed: 5,000 rpm
- Blade diameter: 165 mm

PACKING

Outer carton: 530 × 350 × 380 mm
Quantity: 4 pcs/ctn

N.W. / G.W.: 16 kg / 17 kg

MODEL SPECIFICATIONS**DUP-CS-002****1600W 190 mm Circular Saw**

- Rated voltage / frequency: 220-240 V / 50 Hz
- Rated input: 1,600 W
- No-load speed: 5,000 rpm
- Blade diameter: 190 mm

PACKING

Outer carton: To be confirmed
Quantity: To be confirmed

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-CS-003****1800W 210 mm Circular Saw**

- Rated voltage / frequency: 220-240 V / 50 Hz
- Rated input: 1,800 W
- No-load speed: 5,000 rpm
- Blade diameter: 210 mm

PACKING

Outer carton: 550 × 370 × 205 mm
Quantity: 2 pcs/ctn

N.W. / G.W.: 12.4 kg / 13 kg

MODEL SPECIFICATIONS**DUP-CS-004****20V / 40V Brushless 165 mm Circular Saw**

- Battery voltage: 20 V / 40 V
- Motor type: Brushless / 6025
- No-load speed: 5,500 rpm
- Blade diameter: 165 mm

PACKING

Outer carton: 430 × 335 × 438 mm
Quantity: 4 pcs/ctn

N.W. / G.W.: 13.5 kg / 14.5 kg

MODEL SPECIFICATIONS**DUP-CS-005****20V / 40V Brushless 190 mm Circular Saw**

- Battery voltage: 20 V / 40 V
- Motor type: Brushless / 6030
- No-load speed: 5,000 rpm
- Blade diameter: 190 mm

PACKING

Outer carton: 440 × 347 × 440 mm
Quantity: 4 pcs/ctn

N.W. / G.W.: 14 kg / 15 kg

MODEL SPECIFICATIONS**DUP-MCS-001****500W 76 mm Compact Circular Saw**

- Rated voltage / frequency: 220-240 V / 50 Hz
- Rated input: 500 W
- No-load speed: 7,600 rpm
- Blade diameter: 76 mm

PACKING

Outer carton: To be confirmed
Quantity: To be confirmed

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-MCS-002****400W 80 mm Variable-Speed Compact Circular Saw**

- Rated voltage / frequency: 230-240 V / 50 Hz
- Rated input: 400 W
- No-load speed: 0-3,300 rpm
- Blade diameter: 80 mm

PACKING

Outer carton: To be confirmed
Quantity: To be confirmed

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-WC-001****1500W 125 mm Wall Chaser**

- Rated voltage / frequency: 230-240 V / 50 Hz
- Rated input: 1,500 W
- No-load speed: 8,500 rpm
- Blade diameter: 125 mm

PACKING

Outer carton: To be confirmed
Quantity: To be confirmed

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS

CATEGORY 03 | 65 PRODUCT FAMILIES

HANDHELD SAWS & CUTTING

**DUP-WC-002****1500W 125 mm Compact Wall Chaser**

- Rated voltage / frequency: 220-240 V / 50 Hz
- Rated input: 1,500 W
- No-load speed: 8,500 rpm
- Blade diameter: 125 mm

PACKING

Outer carton: To be confirmed

Quantity: To be confirmed

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-JS-001****850W Laser Orbital Jigsaw with Tool-Free Blade Change**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 850 W
- No-load speed: 0-3,000 rpm

PACKING

Outer carton: 515 × 445 × 240 mm

Quantity: 10 pcs/ctn

N.W. / G.W.: To be confirmed / 24.5 kg

MODEL SPECIFICATIONS**DUP-JS-002****750W Variable-Speed Orbital Jigsaw**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 750 W
- No-load speed: 0-3,000 rpm

PACKING

Outer carton: 515 × 445 × 240 mm

Quantity: 10 pcs/ctn

N.W. / G.W.: To be confirmed / 24 kg

MODEL SPECIFICATIONS**DUP-JS-003****650W Variable-Speed Orbital Jigsaw**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 650 W
- No-load speed: 0-3,000 rpm

PACKING

Outer carton: 515 × 445 × 240 mm

Quantity: 10 pcs/ctn

N.W. / G.W.: To be confirmed / 24 kg

MODEL SPECIFICATIONS**DUP-JS-004****400/500W 6-Speed Compact Jigsaw**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 400 W / 500 W
- No-load speed: 3,000 rpm / 0-3,000 rpm

PACKING

Outer carton: 485 × 395 × 215 mm

Quantity: 10 pcs/ctn

N.W. / G.W.: To be confirmed / 17 kg

MODEL SPECIFICATIONS**DUP-JS-005****850W Laser Orbital Jigsaw with 85 mm Wood Capacity**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 850 W
- No-load speed: 0-3,000 rpm

PACKING

Outer carton: 515 × 445 × 240 mm

Quantity: 10 pcs/ctn

N.W. / G.W.: To be confirmed / 24.5 kg

MODEL SPECIFICATIONS**DUP-JS-006****750W Compact Orbital Jigsaw with Tool-Free Blade Change**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 750 W
- No-load speed: 0-3,000 rpm

PACKING

Outer carton: 485 × 395 × 215 mm

Quantity: 10 pcs/ctn

N.W. / G.W.: To be confirmed / 17 kg

MODEL SPECIFICATIONS**DUP-JS-007****500W Variable-Speed Jigsaw**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 500 W
- No-load speed: 0-3,000 rpm

PACKING

Outer carton: 515 × 445 × 240 mm

Quantity: 10 pcs/ctn

N.W. / G.W.: To be confirmed / 23.5 kg

MODEL SPECIFICATIONS

CATEGORY 03 | 65 PRODUCT FAMILIES

HANDHELD SAWS & CUTTING

**DUP-JS-008****650W 5-Speed Laser Orbital Jigsaw**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 650 W
- No-load speed: 0-3,000 rpm

PACKING

Outer carton: 515 × 445 × 240 mm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: To be confirmed / 23.5 kg

MODEL SPECIFICATIONS**DUP-JS-009****750W 5-Speed Laser Orbital Jigsaw**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 750 W
- No-load speed: 0-3,000 rpm

PACKING

Outer carton: 515 × 445 × 240 mm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: To be confirmed / 24 kg

MODEL SPECIFICATIONS**DUP-JS-010****500W Compact Variable-Speed Jigsaw**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 500 W
- No-load speed: 0-3,000 rpm

PACKING

Outer carton: 485 × 395 × 235 mm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: To be confirmed / 17 kg

MODEL SPECIFICATIONS**DUP-JS-011****850W LED Orbital Jigsaw with Optional Laser**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 850 W
- No-load speed: 0-3,000 rpm

PACKING

Outer carton: 515 × 445 × 240 mm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: To be confirmed / 24.5 kg

MODEL SPECIFICATIONS**DUP-JS-012****400/500W Fixed or Variable-Speed Jigsaw**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 400 W / 500 W
- No-load speed: 3,000 rpm / 0-3,000 rpm

PACKING

Outer carton: 485 × 395 × 235 mm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: To be confirmed / 17 kg

MODEL SPECIFICATIONS**DUP-JS-013****500W Fixed or Variable-Speed Compact Jigsaw**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 500 W
- No-load speed: 3,000 rpm / 0-3,000 rpm

PACKING

Outer carton: 485 × 395 × 215 mm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: To be confirmed / 17 kg

MODEL SPECIFICATIONS**DUP-JS-014****400/500W 6-Speed Slim-Body Jigsaw**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 400 W / 500 W
- No-load speed: 3,000 rpm / 0-3,000 rpm

PACKING

Outer carton: 485 × 395 × 235 mm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: To be confirmed / 17 kg

MODEL SPECIFICATIONS

CATEGORY 03 | 65 PRODUCT FAMILIES

HANDHELD SAWS & CUTTING



DUP-JS-015
750W Laser Orbital Jigsaw with Tool-Free Blade Change
• Rated voltage: 110-240 V
• Frequency: 50/60 Hz
• Rated input: 750 W
• No-load speed: 0-3,000 rpm

PACKING
Outer carton: 515 × 445 × 240 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 23.5 kg

MODEL SPECIFICATIONS



DUP-JS-016
500W LED Compact Jigsaw
• Rated voltage: 110-240 V
• Frequency: 50/60 Hz
• Rated input: 500 W
• No-load speed: 3,000 rpm / 0-3,000 rpm

PACKING
Outer carton: 485 × 395 × 215 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 17 kg

MODEL SPECIFICATIONS



DUP-JS-017
750W Orbital Jigsaw with Optional Laser
• Rated voltage: 110-240 V
• Frequency: 50/60 Hz
• Rated input: 750 W
• No-load speed: 0-3,000 rpm

PACKING
Outer carton: 515 × 445 × 240 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 24 kg

MODEL SPECIFICATIONS



DUP-JS-018
850W LED Orbital Jigsaw with Optional Laser
• Rated voltage: 110-240 V
• Frequency: 50/60 Hz
• Rated input: 850 W
• No-load speed: 0-3,000 rpm

PACKING
Outer carton: 515 × 445 × 240 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 24.5 kg

MODEL SPECIFICATIONS



DUP-CS-006
20V 165 mm Cordless Circular Saw
• Battery voltage: 18 V DC (20V Max platform)
• No-load speed: 3,600 rpm
• Blade: 165 × 25.4 × 24T

PACKING
Outer carton: 49 × 33 × 60 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: 2.5 kg / 3.5 kg

MODEL SPECIFICATIONS



DUP-TLS-001
20V 110 mm Cordless Tile Saw
• Battery voltage: 18 V DC (20V Max platform)
• Cutting wheel diameter: 110 mm
• No-load speed: 3,800 rpm
• Blade: 110 × 22.2 mm

PACKING
Outer carton: 75 × 35 × 23.5 cm
Quantity: 1 pc/ctn
N.W. / G.W.: 3.3 kg / 4.0 kg

MODEL SPECIFICATIONS



DUP-TLS-002
450W 110 mm Tile Saw
• Rated input: 450 W
• Cutting wheel diameter: 110 mm
• No-load speed: 5,200 rpm
• Blade: 110 × 22.2 mm

PACKING
Outer carton: 41 × 38 × 51 cm
Quantity: 1 pc/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS

CATEGORY 03 | 65 PRODUCT FAMILIES

HANDHELD SAWS & CUTTING



DUP-CNS-001
2400W 305 mm Brushless
Concrete Saw

- Voltage/frequency: 230 V, 50 Hz / 120 V, 60 Hz
- Rated input: 2,400 W / 15 A
- Motor: AC brushless
- No-load speed: 4,600 rpm

PACKING

Outer carton: 810 × 440 × 280 mm
Quantity: 1 pc/ctn
N.W. / G.W.: 12.5 kg / 14 kg

MODEL SPECIFICATIONS



DUP-RS-001
710W 20 mm Stroke
Reciprocating Saw - Design
A

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 710 W
- No-load speed: 0-2800 spm
- Stroke length: 20 mm

PACKING

Outer carton: 44.5 × 42.5 × 21 cm
Quantity: 5 pcs/ctn
N.W. / G.W.: 12.5 kg / 13.2 kg

MODEL SPECIFICATIONS



DUP-RS-002
710W 20 mm Stroke
Reciprocating Saw - Design
B

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 710 W
- No-load speed: 0-2800 spm
- Stroke length: 20 mm

PACKING

Outer carton: 44.5 × 42.5 × 21 cm
Quantity: 5 pcs/ctn
N.W. / G.W.: 12.5 kg / 13.2 kg

MODEL SPECIFICATIONS



DUP-RS-003
710W 20 mm Stroke
Reciprocating Saw - Design
C

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 710 W
- No-load speed: 0-2800 spm
- Stroke length: 20 mm

PACKING

Outer carton: 44.5 × 42.5 × 21 cm
Quantity: 5 pcs/ctn
N.W. / G.W.: 12.5 kg / 13.2 kg

MODEL SPECIFICATIONS



DUP-RS-004
850W 28 mm Stroke
Reciprocating Saw - Design
A

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 850 W
- No-load speed: 0-2800 spm
- Stroke length: 28 mm

PACKING

Outer carton: 51.5 × 44.5 × 20.5 cm
Quantity: 5 pcs/ctn
N.W. / G.W.: 14.5 kg / 15.2 kg

MODEL SPECIFICATIONS



DUP-RS-005
1100W 30 mm Stroke
Reciprocating Saw

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1100 W
- No-load speed: 0-3000 spm
- Stroke length: 30 mm

PACKING

Outer carton: 54 × 49.5 × 21.5 cm
Quantity: 5 pcs/ctn
N.W. / G.W.: 17 kg / 18 kg

MODEL SPECIFICATIONS



DUP-RS-006
1200W 32 mm Stroke
Reciprocating Saw

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1200 W
- No-load speed: 0-3000 spm
- Stroke length: 32 mm

PACKING

Outer carton: 54 × 49.5 × 21.5 cm
Quantity: 5 pcs/ctn
N.W. / G.W.: 17 kg / 18 kg

MODEL SPECIFICATIONS

CATEGORY 03 | 65 PRODUCT FAMILIES

HANDHELD SAWS & CUTTING

**DUP-RS-007****850W 28 mm Stroke
Reciprocating Saw - Design
B**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 850 W
- No-load speed: 0-2800 spm
- Stroke length: 28 mm

PACKING

Outer carton: 51.5 × 44.5 × 20.5 cm
Quantity: 5 pcs/ctn

N.W. / G.W.: 14.5 kg / 15.2 kg

MODEL SPECIFICATIONS**DUP-CS-007****1200W 165 mm Plunge
Saw**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1200 W
- No-load speed: 5000 rpm
- Blade diameter: 165 mm

PACKING

Outer carton: 72 × 30 × 28 cm
Quantity: 2 pcs/ctn

N.W. / G.W.: 14 kg / 15 kg

MODEL SPECIFICATIONS**DUP-CS-008****1400W 185 mm Circular
Saw - Design A**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1400 W
- No-load speed: 5500 rpm
- Blade diameter: 185 mm

PACKING

Outer carton: 52 × 33.5 × 52 cm
Quantity: 4 pcs/ctn

N.W. / G.W.: 19.1 kg / 19.6 kg

MODEL SPECIFICATIONS**DUP-CS-009****1600W 185 mm Circular
Saw - Design A**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1600 W
- No-load speed: 5500 rpm
- Blade diameter: 185 mm

PACKING

Outer carton: 52 × 33.5 × 52 cm
Quantity: 4 pcs/ctn

N.W. / G.W.: 19.1 kg / 19.6 kg

MODEL SPECIFICATIONS**DUP-CS-010****1800W 210 mm Circular
Saw**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1800 W
- No-load speed: 5000 rpm
- Blade diameter: 210 mm

PACKING

Outer carton: 56 × 39.5 × 30 cm
Quantity: 2 pcs/ctn

N.W. / G.W.: 13.5 kg / 14 kg

MODEL SPECIFICATIONS**DUP-CS-011****1800W 185 mm Circular
Saw**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1800 W
- No-load speed: 5000 rpm
- Blade diameter: 185 mm

PACKING

Outer carton: 53 × 34 × 53 cm
Quantity: 4 pcs/ctn

N.W. / G.W.: 20 kg / 21 kg

MODEL SPECIFICATIONS**DUP-CS-012****1200W 185 mm Circular
Saw - Design A**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1200 W
- No-load speed: 5000 rpm
- Blade diameter: 185 mm

PACKING

Outer carton: 52 × 33.5 × 52 cm
Quantity: 4 pcs/ctn

N.W. / G.W.: 19.1 kg / 19.6 kg

MODEL SPECIFICATIONS

CATEGORY 03 | 65 PRODUCT FAMILIES

HANDHELD SAWS & CUTTING

**DUP-CS-013****1400W 185 mm Circular Saw - Design B**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1400 W
- No-load speed: 5000 rpm
- Blade diameter: 185 mm

PACKING

Outer carton: 52 × 33.5 × 52 cm
Quantity: 4 pcs/ctn

N.W. / G.W.: 19.1 kg / 19.6 kg

MODEL SPECIFICATIONS**DUP-CS-014****1600W 185 mm Circular Saw - Design B**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1600 W
- No-load speed: 5000 rpm
- Blade diameter: 185 mm

PACKING

Outer carton: 52 × 33.5 × 52 cm
Quantity: 4 pcs/ctn

N.W. / G.W.: 19.1 kg / 19.6 kg

MODEL SPECIFICATIONS**DUP-CS-015****1200W 185 mm Circular Saw - Design B**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1200 W
- No-load speed: 5000 rpm
- Blade diameter: 185 mm

PACKING

Outer carton: 52 × 33.5 × 52 cm
Quantity: 4 pcs/ctn

N.W. / G.W.: 19.1 kg / 19.6 kg

MODEL SPECIFICATIONS**DUP-CS-016****1200W 190 mm Circular Saw**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1200 W
- No-load speed: 5000 rpm
- Blade diameter: 190 mm

PACKING

Outer carton: 52 × 33.5 × 52 cm
Quantity: 4 pcs/ctn

N.W. / G.W.: 19.1 kg / 19.6 kg

MODEL SPECIFICATIONS**DUP-CS-017****1400W 185 mm Circular Saw - Design C**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1400 W
- No-load speed: 5000 rpm
- Blade diameter: 185 mm

PACKING

Outer carton: 52 × 33.5 × 52 cm
Quantity: 4 pcs/ctn

N.W. / G.W.: 19.1 kg / 19.6 kg

MODEL SPECIFICATIONS**DUP-JS-019****750W 100 mm Variable-Speed Jigsaw - Design A**

- Voltage/frequency: 220-240 V
- Rated input power: 750 W
- No-load speed: 800-3000 spm
- Stroke length: 25.4 mm

PACKING

Outer carton: 45.8 × 27 × 48 cm
Quantity: 10 pcs/ctn

N.W. / G.W.: 15 kg / 16 kg

MODEL SPECIFICATIONS**DUP-JS-020****800W 100 mm Variable-Speed Jigsaw - Design A**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 800 W
- No-load speed: 800-3000 spm
- Stroke length: 22 mm

PACKING

Outer carton: 44 × 31 × 48 cm
Quantity: 10 pcs/ctn

N.W. / G.W.: 24 kg / 25 kg

MODEL SPECIFICATIONS

CATEGORY 03 | 65 PRODUCT FAMILIES

HANDHELD SAWS & CUTTING



DUP-JS-021
550W 65 mm Variable-Speed Jigsaw
• Voltage/frequency: 230-240 V/50 Hz
• Rated input power: 550 W
• No-load speed: 800-3000 spm
• Stroke length: 19 mm

PACKING
Outer carton: 45,5 × 27 × 46 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: 17 kg / 18 kg

MODEL SPECIFICATIONS



DUP-JS-022
650W 80 mm Variable-Speed Jigsaw - Design A
• Voltage/frequency: 230-240 V/50 Hz
• Rated input power: 650 W
• No-load speed: 800-3000 spm
• Stroke length: 19 mm

PACKING
Outer carton: 45,5 × 27 × 46 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: 17 kg / 18 kg

MODEL SPECIFICATIONS



DUP-JS-023
400W 55 mm Variable-Speed Jigsaw - Design A
• Voltage/frequency: 230-240 V/50 Hz
• Rated input power: 400 W
• No-load speed: 800-3000 spm
• Stroke length: 18 mm

PACKING
Outer carton: 45,5 × 27 × 46 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: 17 kg / 18 kg

MODEL SPECIFICATIONS



DUP-JS-024
750W 100 mm Variable-Speed Jigsaw - Design B
• Voltage/frequency: 230-240 V/50 Hz
• Rated input power: 750 W
• No-load speed: 800-3000 spm
• Stroke length: 22 mm

PACKING
Outer carton: 44 × 36 × 44,2 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: 23 kg / 24 kg

MODEL SPECIFICATIONS



DUP-JS-025
800W 100 mm Variable-Speed Jigsaw - Design B
• Voltage/frequency: 230-240 V/50 Hz
• Rated input power: 800 W
• No-load speed: 0-3000 spm
• Stroke length: 21 mm

PACKING
Outer carton: 45 × 27,5 × 48 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: 23 kg / 24 kg

MODEL SPECIFICATIONS



DUP-JS-026
650W 80 mm Variable-Speed Jigsaw - Design B
• Voltage/frequency: 230-240 V/50 Hz
• Rated input power: 650 W
• No-load speed: 0-3000 spm
• Stroke length: 19 mm

PACKING
Outer carton: 45,5 × 27 × 47,5 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: 18 kg / 19 kg

MODEL SPECIFICATIONS



DUP-JS-027
400W 55 mm Variable-Speed Jigsaw - Design B
• Voltage/frequency: 230-240 V/50 Hz
• Rated input power: 400 W
• No-load speed: 0-3000 spm
• Stroke length: 18 mm

PACKING
Outer carton: 45,5 × 27 × 46 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: 17 kg / 18 kg

MODEL SPECIFICATIONS

CATEGORY 03 | 65 PRODUCT FAMILIES

HANDHELD SAWS & CUTTING



DUP-MCS-003

550W 85 mm Compact Circular Saw

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 550 W
- No-load speed: 5500 rpm
- Maximum cutting capacity: 27 mm

PACKING

Outer carton: 60 × 48 × 25 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: 20 kg / 21 kg

MODEL SPECIFICATIONS



DUP-RS-008

20V Cordless 28 mm Stroke Reciprocating Saw

- Voltage/frequency: 20 V DC
- No-load speed: 0-2800 spm
- Stroke length: 28 mm
- Maximum cutting capacity: 115 mm in wood

PACKING

Outer carton: 47.5 × 45 × 19 cm
Quantity: 5 pcs/ctn
N.W. / G.W.: 10.5 kg / 11.5 kg

MODEL SPECIFICATIONS



DUP-JS-028

20V Cordless 100 mm Variable-Speed Jigsaw

- Voltage/frequency: 20 V DC
- No-load speed: 0-3000 spm
- Stroke length: 21 mm
- Bevel range: -45° to +45°

PACKING

Outer carton: 45.8 × 27 × 48 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: 15 kg / 16 kg

MODEL SPECIFICATIONS



DUP-CS-018

20V Cordless 165 mm Circular Saw

- Voltage/frequency: 20 V DC
- No-load speed: 4500 rpm
- Blade diameter: 165 mm
- Cutting depth at 90° angle: 55 mm with steel base

PACKING

Outer carton: 40 × 31.5 × 54 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: 13.5 kg / 14 kg

MODEL SPECIFICATIONS



DUP-JS-029

20V Cordless 80 mm Variable-Speed Jigsaw

- Voltage/frequency: 20 V DC
- No-load speed: 800-3000 spm
- Stroke length: 19 mm
- Bevel range: -45° to +45°

PACKING

Outer carton: 47 × 28 × 25 cm
Quantity: 5 pcs/ctn
N.W. / G.W.: 10.2 kg / 10.6 kg

MODEL SPECIFICATIONS



DUP-RS-009

20V Cordless 20 mm Stroke Reciprocating Saw

- Voltage/frequency: 20 V DC
- No-load speed: 0-3200 spm
- Stroke length: 20 mm
- Maximum cutting capacity: 110 mm in wood

PACKING

Outer carton: 44.5 × 42.5 × 21 cm
Quantity: 5 pcs/ctn
N.W. / G.W.: 12.5 kg / 13.2 kg

MODEL SPECIFICATIONS



DUP-WC-003

1500W 30 mm Wall Chaser

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1500 W
- No-load speed: 9000 rpm
- Cutting depth: 0-30 mm

PACKING

Outer carton: 49.5 × 42 × 30 cm
Quantity: 2 pcs/ctn
N.W. / G.W.: 11 kg / 12 kg

MODEL SPECIFICATIONS

CATEGORY 04 | 20 PRODUCT FAMILIES

DRILLING & FASTENING



DUP-ID-001
950W Variable-Speed Impact Drill
• Rated voltage: 110-240 V
• Frequency: 50/60 Hz
• Rated input: 950 W
• No-load speed: 0-3,000 rpm

PACKING
Outer carton: 655 × 420 × 245 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 24 kg

MODEL SPECIFICATIONS



DUP-ID-002
850W Variable-Speed Impact Drill
• Rated voltage: 110-240 V
• Frequency: 50/60 Hz
• Rated input: 850 W
• No-load speed: 0-3,000 rpm

PACKING
Outer carton: 655 × 420 × 245 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 23.5 kg

MODEL SPECIFICATIONS



DUP-ID-003
750W Variable-Speed Impact Drill
• Rated voltage: 110-240 V
• Frequency: 50/60 Hz
• Rated input: 750 W
• No-load speed: 0-3,000 rpm

PACKING
Outer carton: 655 × 420 × 245 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 23.5 kg

MODEL SPECIFICATIONS



DUP-ID-004
850W Compact Variable-Speed Impact Drill
• Rated voltage: 110-240 V
• Frequency: 50/60 Hz
• Rated input: 850 W
• No-load speed: 0-3,000 rpm

PACKING
Outer carton: 595 × 385 × 235 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 23.5 kg

MODEL SPECIFICATIONS



DUP-ID-005
650W Compact Variable-Speed Impact Drill
• Rated voltage: 110-240 V
• Frequency: 50/60 Hz
• Rated input: 650 W
• No-load speed: 0-3,000 rpm

PACKING
Outer carton: 595 × 385 × 235 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 21 kg

MODEL SPECIFICATIONS



DUP-ID-006
500W Compact Variable-Speed Impact Drill
• Rated voltage: 110-240 V
• Frequency: 50/60 Hz
• Rated input: 500 W
• No-load speed: 0-3,000 rpm

PACKING
Outer carton: 535 × 385 × 235 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 20 kg

MODEL SPECIFICATIONS



DUP-ID-007
500W Slim-Body Variable-Speed Impact Drill
• Rated voltage: 110-240 V
• Frequency: 50/60 Hz
• Rated input: 500 W
• No-load speed: 0-3,000 rpm

PACKING
Outer carton: 535 × 385 × 235 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 20 kg

MODEL SPECIFICATIONS

CATEGORY 04 | 20 PRODUCT FAMILIES

DRILLING & FASTENING



DUP-ID-008
650W Slim-Body Variable-Speed Impact Drill
• Rated voltage: 110-240 V
• Frequency: 50/60 Hz
• Rated input: 650 W
• No-load speed: 0-3,000 rpm

PACKING
Outer carton: 595 × 385 × 235 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 21 kg

MODEL SPECIFICATIONS



DUP-ID-009
500W Slim-Body Impact Drill
• Rated voltage: 110-240 V
• Frequency: 50/60 Hz
• Rated input: 500 W
• No-load speed: 0-3,000 rpm

PACKING
Outer carton: 595 × 385 × 235 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 19 kg

MODEL SPECIFICATIONS



DUP-RH-001
20V Brushless 13 mm Cordless Rotary Hammer
• Battery: 18 V, 4 Ah (20V Max platform)
• Impact rate: 0-4,800 bpm
• No-load speed: 0-1,100 rpm
• Maximum impact energy: 1.2 J

PACKING
Outer carton: 61 × 36 × 30 cm
Quantity: 5 pcs/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS



DUP-RH-002
20V 20 mm Cordless Rotary Hammer
• Battery voltage: 18 V DC (20V Max platform)
• Impact rate: 0-5,000 bpm
• No-load speed: 0-1,000 rpm
• Maximum impact energy: 2.0 J

PACKING
Outer carton: 49.5 × 48 × 29.5 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: 2.7 kg/kit / 4.5 kg/kit

MODEL SPECIFICATIONS



DUP-RH-003
20V 22 mm Cordless Rotary Hammer
• Battery voltage: 18 V DC (20V Max platform)
• Impact rate: 0-5,000 bpm
• No-load speed: 0-1,000 rpm
• Maximum impact energy: 2.2 J

PACKING
Outer carton: 49.5 × 48 × 29.5 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: 2.9 kg/kit / 4.7 kg/kit

MODEL SPECIFICATIONS



DUP-RH-004
20V 24 mm Cordless Rotary Hammer
• Battery voltage: 18 V DC (20V Max platform)
• Impact rate: 0-5,000 bpm
• No-load speed: 0-1,000 rpm
• Maximum impact energy: 2.4 J

PACKING
Outer carton: 49.5 × 48 × 29.5 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: 2.9 kg/kit / 4.7 kg/kit

MODEL SPECIFICATIONS



DUP-ID-010
500W 13 mm Variable-Speed Impact Drill
• Voltage/frequency: 230-240 V/50 Hz
• Rated input power: 500 W
• No-load speed: 0-2900 rpm
• Chuck capacity: 13 mm

PACKING
Outer carton: 39 × 30.5 × 51 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: 19 kg / 20 kg

MODEL SPECIFICATIONS

CATEGORY 04 | 20 PRODUCT FAMILIES

DRILLING & FASTENING

**DUP-ID-011****650W 13 mm Variable-Speed Impact Drill**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 650 W
- No-load speed: 0-3000 rpm
- Chuck capacity: 13 mm
- Impact rate: 0-48000 bpm

PACKING

Outer carton: 39 × 30.5 × 51 cm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: 19 kg / 20 kg

MODEL SPECIFICATIONS**DUP-ID-012****710W 13 mm Variable-Speed Impact Drill**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 710 W
- No-load speed: 0-3000 rpm
- Chuck capacity: 13 mm
- Impact rate: 0-48000 bpm

PACKING

Outer carton: 39 × 30.5 × 51 cm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: 19 kg / 20 kg

MODEL SPECIFICATIONS**DUP-ID-013****900W 13 mm Variable-Speed Impact Drill**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 900 W
- No-load speed: 0-3000 rpm
- Chuck capacity: 13 mm
- Impact rate: 0-45000 bpm

PACKING

Outer carton: 39 × 30.5 × 51 cm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: 19 kg / 20 kg

MODEL SPECIFICATIONS**DUP-ID-014****950W 13 mm Variable-Speed Impact Drill**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 950 W
- No-load speed: 0-2800 rpm
- Chuck capacity: 13 mm
- Impact rate: 0-48000 bpm

PACKING

Outer carton: 39 × 30.5 × 51 cm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: 19 kg / 20 kg

MODEL SPECIFICATIONS**DUP-RH-005****1100W 30 mm SDS Rotary Hammer**

- Voltage/frequency: 220-240 V/50 Hz
- Rated input power: 1100 W
- No-load speed: 300-1050 rpm
- Impact energy: 4.5 J
- Tool holder: SDS

PACKING

Outer carton: 42 × 37.5 × 30.5 cm
 Quantity: 3 pcs/ctn
 N.W. / G.W.: 19 kg / 20 kg

MODEL SPECIFICATIONS**DUP-RH-006****1100W 32 mm SDS Rotary Hammer**

- Voltage/frequency: 220-240 V/50 Hz
- Rated input power: 1100 W
- No-load speed: 300-1050 rpm
- Impact energy: 4.5 J
- Tool holder: SDS

PACKING

Outer carton: 42 × 37.5 × 30.5 cm
 Quantity: 3 pcs/ctn
 N.W. / G.W.: 19 kg / 20 kg

MODEL SPECIFICATIONS

CATEGORY 05 | 26 PRODUCT FAMILIES

SANDING & SURFACE PREPARATION

**DUP-BDS-001****650W 4 x 6 in Belt and Disc Sander**

- Voltage / frequency: 230 V / 50 Hz
- Power: 650 W
- No-load / disc speed: 2950 rpm
- Sanding disc: Ø150 mm

PACKING

Outer carton: 56 × 27 × 31.5 cm
Quantity: 1 pc/ctn
N.W. / G.W.: 13.5 / 15.5 kg

MODEL SPECIFICATIONS**DUP-BDS-002****150W Variable-Speed 4 x 6 in Belt and Disc Sander**

- Voltage / frequency: 230 V / 50 Hz
- Power: 150 W
- Disc speed: 750-2800 rpm
- Sanding disc: Ø150 mm

PACKING

Outer carton: 56 × 27 × 31.5 cm
Quantity: 1 pc/ctn
N.W. / G.W.: 12 / 14 kg

MODEL SPECIFICATIONS**DUP-BS-001****1010W 76 × 533 mm Belt Sander**

- Rated voltage / frequency: 220-240 V / 50 Hz
- Rated input: 1,010 W
- Fixed-speed option: 380 m/min
- Variable-speed option: 200-380 m/min

PACKING

Outer carton: To be confirmed
Quantity: To be confirmed
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-BS-002****800W 76 × 457 mm Belt Sander**

- Rated voltage / frequency: 220-240 V / 50 Hz
- Rated input: 800 W
- Fixed-speed option: 380 m/min
- Variable-speed option: 200-380 m/min

PACKING

Outer carton: To be confirmed
Quantity: To be confirmed
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-BS-003****850W Variable-Speed 76 × 533 mm Belt Sander**

- Rated voltage / frequency: 230-240 V / 50 Hz
- Rated input: 850 W
- Belt speed: 200-400 m/min
- Sanding belt: 76 × 533 mm

PACKING

Outer carton: To be confirmed
Quantity: To be confirmed
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-BS-004****900W Variable-Speed 76 × 533 mm Belt Sander**

- Rated voltage / frequency: 230-240 V / 50 Hz
- Rated input: 900 W
- Belt speed: 200-400 m/min
- Sanding belt: 76 × 533 mm

PACKING

Outer carton: To be confirmed
Quantity: To be confirmed
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-PF-001****400W Variable-Speed Power File**

- Rated voltage / frequency: 230-240 V / 50 Hz
- Rated input: 400 W
- Belt speed: 300-1,700 m/min
- Sanding belt options: 13 × 457 mm or 9 × 457 mm

PACKING

Outer carton: To be confirmed
Quantity: To be confirmed
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS

CATEGORY 05 | 26 PRODUCT FAMILIES

SANDING & SURFACE PREPARATION

**DUP-WS-001****850W 180 mm Handheld Wall Sander with Auxiliary Handle**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 850 W
- No-load speed: 1,200-2,300 rpm

PACKING

Outer carton: 620 × 340 × 540 mm
 Quantity: 4 pcs/ctn
 N.W. / G.W.: To be confirmed / 18 kg

MODEL SPECIFICATIONS**DUP-WS-002****850W 180 mm Handheld Wall Sander**

- Rated voltage: 110-240 V
- Frequency: 50/60 Hz
- Rated input: 850 W
- No-load speed: 1,200-2,300 rpm

PACKING

Outer carton: 620 × 340 × 540 mm
 Quantity: 4 pcs/ctn
 N.W. / G.W.: To be confirmed / 18 kg

MODEL SPECIFICATIONS**DUP-PF-002****20V 13 mm Cordless Power File**

- Motor: brushed
- Power input: 18 V DC (20V Max platform)
- Output speed: 630 m/min
- Sanding belt: 13 × 457 mm

PACKING

Outer carton: 44 × 31 × 31 cm
 Quantity: 6 pcs/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-ROS-001****350W 125 / 150 mm Variable-Speed Random Orbital Sander**

- Voltage/frequency: 220-240 V
- Rated input power: 350 W
- No-load speed: 6000-12000 rpm
- Sanding pad: 125 mm/150 mm

PACKING

Outer carton: 47 × 36 × 27 cm
 Quantity: 8 pcs/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-ROS-002****300W 125 mm Variable-Speed Random Orbital Sander - Design A**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 300 W
- No-load speed: 7000-13000 rpm
- Sanding pad: 125 mm

PACKING

Outer carton: 40 × 28 × 34 cm
 Quantity: 8 pcs/ctn
 N.W. / G.W.: 12.3 kg / 12.8 kg

MODEL SPECIFICATIONS**DUP-OS-001****180W Compact Triangular Orbital Sander**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 180 W
- No-load speed: 13000 rpm
- Sanding pad: 140 × 140 × 80 mm

PACKING

Outer carton: 62 × 42 × 18 cm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: 14 kg / 15 kg

MODEL SPECIFICATIONS**DUP-OS-002****240W 110 × 100 mm Orbital Sander**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 240 W
- No-load speed: 13000 rpm
- Sanding pad: 110 × 100 mm

PACKING

Outer carton: 62 × 42 × 16 cm
 Quantity: 10 pcs/ctn
 N.W. / G.W.: 13 kg / 13.5 kg

MODEL SPECIFICATIONS

CATEGORY 05 | 26 PRODUCT FAMILIES

SANDING & SURFACE PREPARATION

**DUP-ROS-003****300W 125 mm Variable-Speed Random Orbital Sander - Design B**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 300 W
- No-load speed: 7000-13000 rpm
- Sanding pad: 125 mm
- Orbit diameter: 2 mm

PACKING

Outer carton: 40 × 28 × 34 cm
Quantity: 8 pcs/ctn
N.W. / G.W.: 12.3 kg / 12.8 kg

MODEL SPECIFICATIONS**DUP-ROS-004****300W 125 mm Variable-Speed Random Orbital Sander - Design C**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 300 W
- No-load speed: 7000-13000 rpm
- Sanding pad: 125 mm
- Orbit diameter: 2 mm

PACKING

Outer carton: 40 × 28 × 34 cm
Quantity: 8 pcs/ctn
N.W. / G.W.: 12.3 kg / 12.8 kg

MODEL SPECIFICATIONS**DUP-OS-003****200W 90 × 187 mm Orbital Sander**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 200 W
- No-load speed: 7000-13000 rpm
- Sanding pad: 90 × 187 mm
- Integrated dust extraction

PACKING

Outer carton: 55 × 30 × 36 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: 15 kg / 16 kg

MODEL SPECIFICATIONS**DUP-OS-004****260W 90 × 187 mm Orbital Sander**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 260 W
- No-load speed: 7000-13000 rpm
- Sanding pad: 90 × 187 mm
- Integrated dust extraction

PACKING

Outer carton: 38 × 31.5 × 39 cm
Quantity: 6 pcs/ctn
N.W. / G.W.: 14 kg / 15 kg

MODEL SPECIFICATIONS**DUP-OS-005****130W Compact Triangular Orbital Sander - Design A**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 130 W
- No-load speed: 13000 rpm
- Sanding pad: 140 × 140 × 80 mm
- Integrated dust extraction

PACKING

Outer carton: 41 × 35 × 32 cm
Quantity: 12 pcs/ctn
N.W. / G.W.: 16 kg / 16.5 kg

MODEL SPECIFICATIONS**DUP-OS-006****130W Compact Triangular Orbital Sander - Design B**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 130 W
- No-load speed: 13000 rpm
- Sanding pad: 140 × 140 × 80 mm
- Integrated dust extraction

PACKING

Outer carton: 57 × 36 × 11 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS

CATEGORY 05 | 26 PRODUCT FAMILIES

SANDING & SURFACE PREPARATION

**DUP-BS-005****900W 76 × 533 mm Belt Sander**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 900 W
- No-load speed: 120-400 m/min
- Abrasive belt: 76 × 533 mm
- Angled belt housing for edge access

PACKING

Outer carton: 39 × 34 × 35 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: 16 kg / 16.5 kg

MODEL SPECIFICATIONS**DUP-WS-003****750W 180 mm Wall Sander**

- Voltage/frequency: 230 V/50 Hz
- Rated input power: 750 W
- No-load speed: 1000-2700 rpm
- Abrasive diameter: 180 mm
- Integrated LED work light

PACKING

Outer carton: 62 × 31.5 × 58 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-WS-004****900W 225 mm Wall Sander**

- Voltage/frequency: 120 V / 60 Hz in the quoted configuration; destination-market...
- Rated input power: 900 W
- No-load speed: 600-1800 rpm
- Abrasive diameter: 225 mm / 9 inch
- Integrated dust extraction

PACKING

Outer carton: To be confirmed
Quantity: 1 pcs/ctn
N.W. / G.W.: 4.13 kg / 6.7 kg

MODEL SPECIFICATIONS**DUP-OS-007****20V Cordless 90 × 187 mm Orbital Sander**

- Voltage/frequency: 20 V DC
- No-load speed: 6000-12000 rpm
- Sanding pad: 90 × 187 mm
- Integrated dust extraction
- Standard accessories: 1 × Dust collection box, 1 × Sanding paper

PACKING

Outer carton: 55 × 30 × 36 cm
Quantity: 10 pcs/ctn
N.W. / G.W.: 15 kg / 16 kg

MODEL SPECIFICATIONS**DUP-BS-006****1150W Variable-Speed 76 × 533 mm Belt Sander**

- Voltage: 220-240 V / 120 V
- Frequency: 50/60 Hz
- Rated input: 1,150 W / 8.5 A
- Belt speed: 120-380 m/min
- Sanding belt: 76 × 533 mm / 3 × 21 in

PACKING

Outer carton: 39 × 34 × 34 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: To be confirmed / 14.5 kg

MODEL SPECIFICATIONS**DUP-BS-007****800W Variable-Speed 76 × 457 mm Belt Sander**

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Rated input: 800 W
- Belt speed: 120-380 m/min
- Sanding belt: 76 × 457 mm

PACKING

Outer carton: 34.5 × 34 × 33.5 cm
Quantity: 4 pcs/ctn
N.W. / G.W.: To be confirmed / 14 kg

MODEL SPECIFICATIONS

CATEGORY 06 | 45 PRODUCT FAMILIES

GRINDING & POLISHING

**DUP-WG-001****200 mm 75W
Variable-Speed Wet
Sharpener**

- Voltage / frequency: 230 V / 50 Hz
- Power: 75 W
- No-load speed: 90-300 rpm
- Grinding wheel: Ø200 × Ø12 × 40 mm

PACKING

Outer carton: 37.6 × 32 × 40 cm
Quantity: 1 pc/ctn

N.W. / G.W.: 9.7 / 11 kg

MODEL SPECIFICATIONS**DUP-WG-002****250 mm 120W
Variable-Speed Wet
Sharpener**

- Voltage / frequency: 230 V / 50 Hz
- Power: 120 W
- No-load speed: 90-300 rpm
- Grinding wheel: Ø250 × Ø12 × 50 mm

PACKING

Outer carton: 37.6 × 32 × 40 cm
Quantity: 1 pc/ctn

N.W. / G.W.: 12 / 13 kg

MODEL SPECIFICATIONS**DUP-AG-001****1200W 125/150 mm
Variable-Speed Angle
Grinder**

- Rated voltage: 110-120 V / 220-240 V
- Frequency: 50/60 Hz
- Rated input: 1200 W
- No-load speed: 3,000-10,000 rpm

PACKING

Outer carton: 440 × 440 × 275 mm
Quantity: 6 pcs/ctn

N.W. / G.W.: To be confirmed / 16 kg

MODEL SPECIFICATIONS**DUP-AG-002****500/650W 100-125 mm
Compact Angle Grinder**

- Rated voltage: 110-120 V / 220-240 V
- Frequency: 50/60 Hz
- Rated input: 500 W / 650 W
- No-load speed: 10,500 rpm

PACKING

Outer carton: 470 × 330 × 260 mm
Quantity: 10 pcs/ctn

N.W. / G.W.: To be confirmed / 19 kg

MODEL SPECIFICATIONS**DUP-AG-003****500/750W 100-125 mm
Angle Grinder**

- Rated voltage: 110-120 V / 220-240 V
- Frequency: 50/60 Hz
- Rated input: 500 W / 750 W
- No-load speed: 10,500 rpm / 0-10,500 rpm

PACKING

Outer carton: 470 × 330 × 260 mm
Quantity: 10 pcs/ctn

N.W. / G.W.: To be confirmed / 20 kg

MODEL SPECIFICATIONS**DUP-AG-004****710/800/850W 100-125 mm
Angle Grinder**

- Rated voltage: 110-120 V / 220-240 V
- Frequency: 50/60 Hz
- Rated input: 710 W / 800 W / 850 W
- No-load speed: 10,500 rpm

PACKING

Outer carton: 570 × 335 × 235 mm
Quantity: 10 pcs/ctn

N.W. / G.W.: To be confirmed / 22.5 kg

MODEL SPECIFICATIONS**DUP-AG-005****850/1100W 100-125 mm
Angle Grinder**

- Rated voltage: 110-120 V / 220-240 V
- Frequency: 50/60 Hz
- Rated input: 850 W / 1100 W
- No-load speed: 10,500 rpm / 0-10,500 rpm

PACKING

Outer carton: 470 × 330 × 260 mm
Quantity: 10 pcs/ctn

N.W. / G.W.: To be confirmed / 23.5 kg

MODEL SPECIFICATIONS**DUP-AG-006****750W 115/125 mm Angle
Grinder**

- Rated voltage: 110-120 V / 220-240 V
- Frequency: 50/60 Hz
- Rated input: 750 W
- No-load speed: 10,500 rpm / 3,000-10,500 rpm

PACKING

Outer carton: 470 × 330 × 260 mm
Quantity: 10 pcs/ctn

N.W. / G.W.: To be confirmed / 23.5 kg

MODEL SPECIFICATIONS

CATEGORY 06 | 45 PRODUCT FAMILIES

GRINDING & POLISHING

**DUP-AG-007****750W 115/125 mm
Long-Body Angle Grinder**

- Rated voltage: 110-120 V / 220-240 V
- Frequency: 50/60 Hz
- Rated input: 750 W
- No-load speed: 10,500 rpm / 3,000-10,500 rpm

PACKING

Outer carton: 440 × 440 × 275 mm
Quantity: 6 pcs/ctn
N.W. / G.W.: To be confirmed / 16 kg

MODEL SPECIFICATIONS**DUP-AG-008****500/750W 100-125 mm
Long-Body Angle Grinder**

- Rated voltage: 110-120 V / 220-240 V
- Frequency: 50/60 Hz
- Rated input: 500 W / 750 W
- No-load speed: 10,500 rpm / 3,000-10,500 rpm

PACKING

Outer carton: 440 × 440 × 275 mm
Quantity: 6 pcs/ctn
N.W. / G.W.: To be confirmed / 16 kg

MODEL SPECIFICATIONS**DUP-AG-009****850/1050W 115/125 mm
Angle Grinder**

- Rated voltage: 110-120 V / 220-240 V
- Frequency: 50/60 Hz
- Rated input: 850 W / 1050 W
- No-load speed: 10,500 rpm / 3,000-10,500 rpm

PACKING

Outer carton: 440 × 440 × 275 mm
Quantity: 6 pcs/ctn
N.W. / G.W.: To be confirmed / 16 kg

MODEL SPECIFICATIONS**DUP-AG-010****650W 100-125 mm
Compact Angle Grinder**

- Rated voltage: 110-120 V / 220-240 V
- Frequency: 50/60 Hz
- Rated input: 650 W
- No-load speed: 10,500 rpm

PACKING

Outer carton: 470 × 330 × 260 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 20 kg

MODEL SPECIFICATIONS**DUP-AG-011****650W 100-125 mm
Variable-Speed Angle Grinder**

- Rated voltage: 110-120 V / 220-240 V
- Frequency: 50/60 Hz
- Rated input: 650 W
- No-load speed: 3,000-10,500 rpm

PACKING

Outer carton: 470 × 330 × 260 mm
Quantity: 10 pcs/ctn
N.W. / G.W.: To be confirmed / 20 kg

MODEL SPECIFICATIONS**DUP-RP-001****1200W 180 mm Rotary
Polisher with D-Handle**

- Rated voltage: 110-120 V / 220-240 V
- Frequency: 50/60 Hz
- Rated input: 1200 W
- No-load speed: 0-3,000 rpm

PACKING

Outer carton: 440 × 300 × 275 mm
Quantity: 4 pcs/ctn
N.W. / G.W.: To be confirmed / 11 kg

MODEL SPECIFICATIONS**DUP-RP-002****1200W 180 mm Rotary
Polisher with Loop Handle**

- Rated voltage: 110-120 V / 220-240 V
- Frequency: 50/60 Hz
- Rated input: 1200 W
- No-load speed: 0-3,000 rpm

PACKING

Outer carton: 440 × 300 × 275 mm
Quantity: 4 pcs/ctn
N.W. / G.W.: To be confirmed / 11 kg

MODEL SPECIFICATIONS**DUP-AG-012****20V Brushless 115 mm
Cordless Angle Grinder**

- Battery voltage: 18 V DC (20V Max platform)
- No-load speed: 7,500 rpm
- Disc diameter: 115 mm

PACKING

Outer carton: 32 × 31 × 35.5 cm
Quantity: 6 pcs/ctn
N.W. / G.W.: 1.8 kg / 2.0 kg

MODEL SPECIFICATIONS

CATEGORY 06 | 45 PRODUCT FAMILIES

GRINDING & POLISHING

**DUP-AG-013****20V 115 mm Cordless Angle Grinder**

- Battery voltage: 18 V DC (20V Max platform)
- No-load speed: 8,000 rpm
- Disc diameter: 115 mm

PACKING

Outer carton: 32 × 31 × 35.5 cm
Quantity: 6 pcs/ctn

N.W. / G.W.: 1.9 kg / 2.1 kg

MODEL SPECIFICATIONS**DUP-AG-014****800W 115 mm Angle Grinder**

- Voltage/frequency: 230 V, 50 Hz
- Rated input options: 750 / 800 W
- Disc diameter: 115 / 125 mm
- No-load speed: 12,000 rpm

PACKING

Outer carton: 43.5 × 32.5 × 26 cm
Quantity: 6 pcs/ctn

N.W. / G.W.: 13 kg / 14 kg

MODEL SPECIFICATIONS**DUP-AG-015****1000W 125 mm Angle Grinder**

- Voltage/frequency: 230 V, 50 Hz
- Rated input: 1,000 W
- Disc diameter as printed: 100 / 115 mm
- No-load speed: 12,000 rpm

PACKING

Outer carton: 43.5 × 32.5 × 26 cm
Quantity: 6 pcs/ctn

N.W. / G.W.: 15.6 kg / 16.8 kg

MODEL SPECIFICATIONS**DUP-AG-016****800W 115 mm Angle Grinder**

- Voltage/frequency: 230 V, 50 Hz
- Rated input options: 750 / 800 W
- Disc diameter: 115 / 125 mm
- No-load speed: 12,000 rpm

PACKING

Outer carton: 43.5 × 32.5 × 26 cm
Quantity: 6 pcs/ctn

N.W. / G.W.: 13 kg / 14 kg

MODEL SPECIFICATIONS**DUP-AG-017****900W 115 mm Angle Grinder**

- Voltage/frequency: 230 V, 50 Hz
- Rated input: 900 W
- Disc diameter: 115 / 125 mm
- No-load speed: 12,000 rpm

PACKING

Outer carton: To be confirmed
Quantity: 1 pc

N.W. / G.W.: 2.1 kg / 2.5 kg

MODEL SPECIFICATIONS**DUP-AG-018****820W 115 mm Angle Grinder**

- Voltage/frequency: 110-240 V, 50/60 Hz
- Rated input: 820 W / 7 A
- Disc family: 100 / 115 / 125 mm
- Selected disc diameter: 115 mm

PACKING

Outer carton: 40.5 × 33.5 × 26 cm
Quantity: 6 pcs/ctn

N.W. / G.W.: 14.4 kg / 15 kg

MODEL SPECIFICATIONS**DUP-AG-019****900W 115 mm Variable-Speed Angle Grinder**

- Voltage/frequency: 110-240 V, 50/60 Hz
- Rated input options: 750 / 820 / 850 / 900 W
- Rated current options: 6 / 7 A
- Disc family: 115 / 125 mm

PACKING

Outer carton: Carton dimension unclear in source
Quantity: 2 pcs/ctn

N.W. / G.W.: 15 kg / 16 kg

MODEL SPECIFICATIONS**DUP-AG-020****1200W 115 mm Angle Grinder**

- Voltage/frequency: 110-240 V, 50/60 Hz
- Rated input: 1,200 W / 10 A
- Disc family: 115 / 125 mm
- Selected disc diameter: 115 mm

PACKING

Outer carton: 44 × 44 × 26 cm
Quantity: 6 pcs/ctn

N.W. / G.W.: 16.2 kg / 17.2 kg

MODEL SPECIFICATIONS

CATEGORY 06 | 45 PRODUCT FAMILIES

GRINDING & POLISHING

**DUP-AG-021****600W 115 mm Angle Grinder**

- Voltage/frequency: 110-240 V, 50/60 Hz
- Rated input: 600 W / 5 A
- Disc family: 115 / 125 mm
- Selected disc diameter: 115 mm

PACKING

Outer carton: 41.5 × 31.5 × 25 cm
Quantity: 6 pcs/ctn

N.W. / G.W.: 12.5 kg / 13.5 kg

MODEL SPECIFICATIONS**DUP-AG-022****2000W 230 mm Angle Grinder**

- Voltage/frequency: 230 V, 50 Hz
- Rated input: 2,000 W
- Disc diameter: 230 mm
- No-load speed: 6,500 rpm

PACKING

Outer carton: To be confirmed

Quantity: 1 pc

N.W. / G.W.: 4 kg / To be confirmed

MODEL SPECIFICATIONS**DUP-AG-023****2350W 230 mm Angle Grinder**

- Voltage/frequency: 110-240 V, 50/60 Hz
- Rated input family: 2,000 / 2,350 W; 15 A
- Disc family: 180 / 230 mm
- Selected disc diameter: 230 mm

PACKING

Outer carton: 55 × 29.5 × 17 cm

Quantity: 2 pcs/ctn

N.W. / G.W.: 12 kg / 13 kg

MODEL SPECIFICATIONS**DUP-AG-024****710W 115 mm Angle Grinder**

- Voltage/frequency: 220-230 V, 50 Hz
- Rated input: 710 W
- Disc diameter: 115 mm
- No-load speed: 12,000 rpm

PACKING

Outer carton: 320 × 150 × 220 mm

Quantity: 4 pcs/ctn

N.W. / G.W.: 1.5 kg / To be confirmed

MODEL SPECIFICATIONS**DUP-RP-003****1300W 180 mm Rotary Polisher**

- Voltage/frequency: 220-240 V, 50/60 Hz
- Rated input: 1,300 W
- Polishing pad diameter: 180 mm
- Maximum no-load speed: 3,600 rpm

PACKING

Outer carton: To be confirmed

Quantity: To be confirmed

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-RP-004****800W 50 / 75 mm Rotary Polisher**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 800 W
- No-load speed: 1800-5500 rpm
- Pad diameter: 50 / 75 mm

PACKING

Outer carton: 39.5 × 32 × 12.5 cm

Quantity: 5 pcs/ctn

N.W. / G.W.: 9 kg / 10 kg

MODEL SPECIFICATIONS**DUP-RP-005****800W 50 / 75 mm Dual-Action Polisher**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 800 W
- No-load speed: 1800-5500 rpm
- Pad diameter: 50 / 75 mm

PACKING

Outer carton: 39.5 × 32 × 14 cm

Quantity: 5 pcs/ctn

N.W. / G.W.: 10 kg / 11 kg

MODEL SPECIFICATIONS

CATEGORY 06 | 45 PRODUCT FAMILIES

GRINDING & POLISHING

**DUP-RP-006****800W 125 / 150 mm Dual-Action Polisher**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 800 W
- No-load speed: 1800-5500 rpm
- Pad diameter: 125 / 150 mm

PACKING

Outer carton: 47 × 35 × 15 cm

Quantity: 5 pcs/ctn

N.W. / G.W.: 12 kg / 13 kg

MODEL SPECIFICATIONS**DUP-RP-007****1200W 180 mm Rotary Polisher**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1200 W
- No-load speed: 600-3000 rpm
- Pad diameter: 180 mm

PACKING

Outer carton: 49.5 × 42 × 17 cm

Quantity: 4 pcs/ctn

N.W. / G.W.: 10 kg / 11.5 kg

MODEL SPECIFICATIONS**DUP-RP-008****1200W 150 mm Dual-Action Polisher**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1200 W
- No-load speed: 600-4000 rpm
- Pad diameter: 150 mm

PACKING

Outer carton: 49.5 × 42 × 17 cm

Quantity: 4 pcs/ctn

N.W. / G.W.: 10 kg / 11.5 kg

MODEL SPECIFICATIONS**DUP-RP-009****900W 150 mm Dual-Action Polisher - Design A**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 900 W
- No-load speed: 600-4000 rpm
- Pad diameter: 150 mm

PACKING

Outer carton: 49.5 × 42 × 17 cm

Quantity: 4 pcs/ctn

N.W. / G.W.: 10 kg / 11.5 kg

MODEL SPECIFICATIONS**DUP-RP-010****900W 150 mm Dual-Action Polisher - Design B**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 900 W
- No-load speed: 600-4000 rpm
- Pad diameter: 150 mm

PACKING

Outer carton: 50 × 48.5 × 25 cm

Quantity: 6 pcs/ctn

N.W. / G.W.: 18 kg / 19 kg

MODEL SPECIFICATIONS**DUP-RP-011****900W 150 mm Rotary Polisher**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 900 W
- No-load speed: 600-3000 rpm
- Pad diameter: 150 mm

PACKING

Outer carton: 47 × 45 × 20 cm

Quantity: 5 pcs/ctn

N.W. / G.W.: 11.5 kg / 12.5 kg

MODEL SPECIFICATIONS**DUP-AG-025****750W 115 mm Angle Grinder - Design A**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 750 W
- No-load speed: 11000 rpm
- Disc diameter: 115 mm

PACKING

Outer carton: 44.5 × 36 × 25.5 cm

Quantity: 6 pcs/ctn

N.W. / G.W.: 14 kg / 14.5 kg

MODEL SPECIFICATIONS

CATEGORY 06 | 45 PRODUCT FAMILIES

GRINDING & POLISHING

**DUP-AG-026****750W 115 mm Angle Grinder - Design B**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 750 W
- No-load speed: 12000 rpm
- Disc diameter: 115 mm

PACKING

Outer carton: 44.5 × 36 × 25.5 cm

Quantity: 6 pcs/ctn

N.W. / G.W.: 14 kg / 14.5 kg

MODEL SPECIFICATIONS**DUP-AG-027****800W 125 mm Angle Grinder**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 800 W
- No-load speed: 12000 rpm
- Disc diameter: 125 mm

PACKING

Outer carton: 44.5 × 36 × 25.5 cm

Quantity: 6 pcs/ctn

N.W. / G.W.: 14 kg / 14.5 kg

MODEL SPECIFICATIONS**DUP-AG-028****900W 125 mm Angle Grinder**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 900 W
- No-load speed: 12000 rpm
- Disc diameter: 125 mm

PACKING

Outer carton: 44.5 × 36 × 25.5 cm

Quantity: 6 pcs/ctn

N.W. / G.W.: 14 kg / 14.5 kg

MODEL SPECIFICATIONS**DUP-AG-029****1050W 125 mm Angle Grinder**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1050 W
- No-load speed: 12000 rpm
- Disc diameter: 125 mm

PACKING

Outer carton: 44.5 × 36 × 25.5 cm

Quantity: 6 pcs/ctn

N.W. / G.W.: 14 kg / 14.5 kg

MODEL SPECIFICATIONS**DUP-AG-030****1100W 125 mm Angle Grinder**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 1100 W
- No-load speed: 3000-12000 rpm
- Disc diameter: 125 mm

PACKING

Outer carton: 44.5 × 41 × 25.5 cm

Quantity: 6 pcs/ctn

N.W. / G.W.: 14 kg / 15.5 kg

MODEL SPECIFICATIONS**DUP-AG-031****2200W 230 mm Angle Grinder**

- Voltage/frequency: 230-240 V/50 Hz
- Rated input power: 2200 W
- No-load speed: 6500 rpm
- Disc diameter: 230 mm

PACKING

Outer carton: 54.5 × 29.5 × 19 cm

Quantity: 2 pcs/ctn

N.W. / G.W.: 11.8 kg / 12.5 kg

MODEL SPECIFICATIONS**DUP-AG-032****20V Cordless 115 mm Angle Grinder**

- Voltage/frequency: 20 V DC
- No-load speed: 7500 rpm
- Disc diameter: 115 mm
- Soft start

PACKING

Outer carton: 45 × 43 × 25.5 cm

Quantity: 6 pcs/ctn

N.W. / G.W.: 15.5 kg / 16.5 kg

MODEL SPECIFICATIONS

CATEGORY 07 | 12 PRODUCT FAMILIES

AUTOMOTIVE & WORKSHOP EQUIPMENT

**DUP-DC-001****1200W Compact Workshop Dust Collector**

- Voltage / frequency: 220 V / 50 Hz
- Power: 1200 W
- No-load speed: 23,000 rpm
- Air volume: 2.2 m³/min
- Flexible vacuum hose: 1.5 m

PACKING

Outer carton: 28 × 28 × 24 cm
 Quantity: 1 pc/ctn
 N.W. / G.W.: 5.4 / 6.1 kg

MODEL SPECIFICATIONS**DUP-OP-001****20V 150 mm Cordless Orbital Polisher**

- Battery voltage: 18 V DC (20V Max platform)
- No-load speed: 1,000-3,500 rpm
- Maximum polishing pad: 160 mm / 6.3 in
- Hook-and-loop pad: 150 mm / 6 in
- Orbit: 7.5 mm

PACKING

Outer carton: To be confirmed
 Quantity: To be confirmed
 N.W. / G.W.: 1.5 kg / 1.8 kg

MODEL SPECIFICATIONS**DUP-AC-001****18V 6L Cordless Air Compressor**

- Battery configuration: 18 V, 4 Ah
- Power: 0.7 HP / 0.55 kW
- Tank volume: 6 L
- Air delivery: 123 L/min
- Motor speed: 5,500 rpm

PACKING

Outer carton: 450 × 365 × 390 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-AC-002****Dual-Battery 6L Cordless Air Compressor**

- Battery configuration: 2 × 18 V, 4 Ah
- Power: 1 HP / 0.7 kW
- Tank volume: 6 L
- Air delivery: 125 L/min
- Motor speed: 2,800 rpm

PACKING

Outer carton: 450 × 365 × 390 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-AC-003****0.5HP 2 gal Compact Air Compressor**

- Voltage: 120 V
- Frequency: 60 Hz
- Power: 0.5 HP / 0.35 kW
- Tank volume: 2 gal
- Air delivery: 45 L/min

PACKING

Outer carton: 335 × 335 × 355 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-AC-004****0.5HP 3 gal Compact Air Compressor**

- Voltage: 120 V
- Frequency: 60 Hz
- Power: 0.5 HP / 0.35 kW
- Tank volume: 3 gal
- Air delivery: 45 L/min

PACKING

Outer carton: 395 × 375 × 415 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS

CATEGORY 07 | 12 PRODUCT FAMILIES

AUTOMOTIVE & WORKSHOP EQUIPMENT

**DUP-AC-005****1.5HP Portable Oil-Free Air Compressor**

- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 1.5 HP / 1.1 kW
- Air delivery: 180 L/min
- Motor speed: 3,750 rpm

PACKING

Outer carton: 380 × 150 × 395 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-AC-006****1.5HP Enclosed Portable Air Compressor**

- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 1.5 HP / 1.1 kW
- Air delivery: 180 L/min
- Motor speed: 3,750 rpm

PACKING

Outer carton: 435 × 310 × 355 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-AC-007****1.5HP 6 gal Oil-Free Air Compressor**

- Voltage: 120 V
- Frequency: 60 Hz
- Power: 1.5 HP / 1.1 kW
- Tank volume: 6 gal
- Air delivery: 180 L/min

PACKING

Outer carton: 445 × 435 × 495 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-AC-008****2.5HP 6 gal Oil-Free Air Compressor**

- Voltage: 120 V
- Frequency: 60 Hz
- Power: 2.5 HP / 1.8 kW
- Tank volume: 6 gal
- Air delivery: 285 L/min

PACKING

Outer carton: 435 × 435 × 490 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-AC-009****2HP 50L Vertical Oil-Free Air Compressor**

- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 2 HP / 1.5 kW
- Tank volume: 50 L
- Air delivery: 220 L/min

PACKING

Outer carton: 345 × 325 × 1,030 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-AC-010****2HP 50L Shrouded Vertical Air Compressor**

- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 2 HP / 1.5 kW
- Tank volume: 50 L
- Air delivery: 220 L/min

PACKING

Outer carton: 345 × 330 × 1,030 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS

CATEGORY 08 | 36 PRODUCT FAMILIES

GARDEN & OUTDOOR EQUIPMENT

**DUP-BV-001****Variable-Speed Electric Blower Vacuum 50-70 m/s**

- Voltage / frequency: 230-240 V / 50 Hz
- Power options: 1800 / 2200 / 2400 / 2500 / 2600 / 3000 / 3200 / 3300 / ...
- No-load speed: 8000-15,000 rpm
- Maximum air speed: 50-70 m/s

PACKING

Outer carton: 310 × 165 × 455 mm
Quantity: 1 pc/ctn

N.W. / G.W.: 2.6 / 3.1 kg

MODEL SPECIFICATIONS**DUP-BV-002****Variable-Speed Electric Blower Vacuum 50-73 m/s**

- Voltage / frequency: 230-240 V / 50 Hz
- Power options: 1800 / 2200 / 2400 / 2500 / 2600 / 3000 / 3200 / 3300 / ...
- No-load speed: 8000-15,000 rpm
- Maximum air speed: 50-73 m/s

PACKING

Outer carton: 325 × 170 × 440 mm
Quantity: 1 pc/ctn

N.W. / G.W.: 2.6 / 3.1 kg

MODEL SPECIFICATIONS**DUP-GT-001****500W Telescopic Electric Grass Trimmer**

- Voltage / frequency: 230-240 V / 50 Hz
- Rated power: 500 W
- No-load speed: 10,500 rpm
- Cutting diameter: 280 mm

PACKING

Outer carton: 490 × 450 × 440 mm
Quantity: 6 pcs/ctn

N.W. / G.W.: 15 / 15.8 kg

MODEL SPECIFICATIONS**DUP-BC-001****1200W 2-in-1 Electric Brush Cutter and Grass Trimmer**

- Voltage / frequency: 230-240 V / 50 Hz
- Rated power: 1200 W
- No-load speed: 6000 / 6800 rpm
- Nylon-line cutting diameter: 350 mm

PACKING

Outer carton: 875 × 290 × 215 mm
Quantity: 2 pcs/ctn

N.W. / G.W.: 9.8 / 10.4 kg

MODEL SPECIFICATIONS**DUP-LM-001****1300W 320 mm Electric Lawn Mower**

- Voltage / frequency: 230-240 V / 50 Hz
- Rated power: 1300 W
- No-load speed: 3650 rpm
- Cutting width: 320 mm

PACKING

Outer carton: 570 × 380 × 260 mm
Quantity: 1 pc/ctn

N.W. / G.W.: 7.1 / 8.1 kg

MODEL SPECIFICATIONS**DUP-GT-002****550-600W 300 mm Telescopic Electric Grass Trimmer**

- Voltage / frequency: 230-240 V / 50 Hz
- Rated power options: 550 / 600 W
- No-load speed: 10,500 rpm
- Cutting diameter: 300 mm

PACKING

Outer carton: 875 × 470 × 225 mm
Quantity: 4 pcs/ctn

N.W. / G.W.: 12.4 / 13 kg

MODEL SPECIFICATIONS**DUP-GT-003****1000-1600W 350 mm Curved Split-Shaft Electric Grass Trimmer**

- Voltage / frequency: 230-240 V / 50 Hz
- Rated power options: 1000 / 1200 / 1400 / 1600 W
- No-load speed: 7,800 rpm
- Cutting diameter: 350 mm

PACKING

Outer carton: 800 × 240 × 265 mm
Quantity: 2 pcs/ctn

N.W. / G.W.: 8.2 / 8.8 kg

MODEL SPECIFICATIONS**DUP-BC-002****1000-1600W 2-in-1 Bicycle-Handle Electric Brush Cutter**

- Voltage / frequency: 230-240 V / 50 Hz
- Rated power options: 1000 / 1200 / 1400 / 1600 W
- No-load speed: 6,000 / 6,800 rpm
- Nylon-line cutting diameter: 350 mm

PACKING

Outer carton: 875 × 290 × 215 mm
Quantity: 2 pcs/ctn

N.W. / G.W.: 11 / 11.6 kg

MODEL SPECIFICATIONS

CATEGORY 08 | 36 PRODUCT FAMILIES

GARDEN & OUTDOOR EQUIPMENT

**DUP-LM-002****1300W 320 mm Electric Lawn Mower**

- Voltage / frequency: 230-240 V / 50 Hz
- Rated power: 1300 W
- No-load speed: 3,650 rpm
- Cutting width: 320 mm

PACKING

Outer carton: 570 × 380 × 260 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: 7.1 / 8.1 kg

MODEL SPECIFICATIONS**DUP-LM-003****1600W 380 mm Electric Lawn Mower**

- Voltage / frequency: 230-240 V / 50 Hz
- Rated power: 1600 W
- No-load speed: 3,800 rpm
- Cutting width: 380 mm

PACKING

Outer carton: 750 × 465 × 330 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: 11.5 / 13 kg

MODEL SPECIFICATIONS**DUP-LM-004****2000W 420 mm Electric Lawn Mower**

- Voltage / frequency: 230-240 V / 50 Hz
- Rated power: 2000 W
- No-load speed: 3,800 rpm
- Cutting width: 420 mm

PACKING

Outer carton: 750 × 465 × 330 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: 12 / 13.5 kg

MODEL SPECIFICATIONS**DUP-LM-005****20V 330 mm Brushless Cordless Lawn Mower**

- Rated voltage: 20 V DC
- Motor type: Brushless
- No-load speed: 2,800 rpm
- Cutting width: 330 mm

PACKING

Outer carton: 570 × 380 × 260 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: 6.4 / 7.4 kg

MODEL SPECIFICATIONS**DUP-LM-006****40V 380 mm Brushless Cordless Lawn Mower**

- Rated voltage: 40 V / 2×20 V DC
- Motor type: Brushless
- No-load speed: 2,900 rpm
- Cutting width: 380 mm

PACKING

Outer carton: 750 × 465 × 330 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: 10.5 / 12 kg

MODEL SPECIFICATIONS**DUP-LM-007****40V 420 mm Brushless Cordless Lawn Mower**

- Rated voltage: 40 V / 2×20 V DC
- Motor type: Brushless
- No-load speed: 2,900 rpm
- Cutting width: 420 mm

PACKING

Outer carton: 750 × 465 × 330 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: 10.8 / 12.3 kg

MODEL SPECIFICATIONS**DUP-PW-001****150 / 173 bar A-Frame Gasoline Pressure Washer**

- Working / maximum pressure: 150 / 173 bar
- Pressure equivalent: 2,175 / 2,508 psi
- Water flow: 7.5 / 9 L/min (2 / 2.4 gpm)
- Gasoline engine: 7 HP

PACKING

Outer carton: 52 × 46 × 52 cm
 Quantity: 1 set/ctn
 N.W. / G.W.: To be confirmed / 30 kg

MODEL SPECIFICATIONS

CATEGORY 08 | 36 PRODUCT FAMILIES

GARDEN & OUTDOOR EQUIPMENT



DUP-PW-002

160 / 180 bar A-Frame Gasoline Pressure Washer

- Working / maximum pressure: 160 / 180 bar
- Pressure equivalent: 2,320 / 2,610 psi
- Water flow: 7.5 / 9 L/min (2 / 2.4 gpm)
- Gasoline engine: 7 HP

PACKING

Outer carton: 52 × 46 × 52 cm
Quantity: 1 set/ctn
N.W. / G.W.: To be confirmed / 31 kg

MODEL SPECIFICATIONS



DUP-PW-003

150 / 173 bar L-Frame Gasoline Pressure Washer

- Working / maximum pressure: 150 / 173 bar
- Pressure equivalent: 2,175 / 2,508 psi
- Water flow: 7.5 / 9 L/min (2 / 2.4 gpm)
- Gasoline engine: 7 HP

PACKING

Outer carton: 55 × 47 × 54 cm
Quantity: 1 set/ctn
N.W. / G.W.: To be confirmed / 30 kg

MODEL SPECIFICATIONS



DUP-PW-004

160 / 180 bar L-Frame Gasoline Pressure Washer

- Working / maximum pressure: 160 / 180 bar
- Pressure equivalent: 2,320 / 2,610 psi
- Water flow: 7.5 / 9 L/min (2 / 2.4 gpm)
- Gasoline engine: 7 HP

PACKING

Outer carton: 55 × 47 × 54 cm
Quantity: 1 set/ctn
N.W. / G.W.: To be confirmed / 31 kg

MODEL SPECIFICATIONS



DUP-PW-005

150 / 173 bar X-Frame Gasoline Pressure Washer

- Working / maximum pressure: 150 / 173 bar
- Pressure equivalent: 2,175 / 2,508 psi
- Water flow: 7.5 / 9 L/min (2 / 2.4 gpm)
- Gasoline engine: 7 HP

PACKING

Outer carton: 55 × 47 × 50 cm
Quantity: 1 set/ctn
N.W. / G.W.: To be confirmed / 30 kg

MODEL SPECIFICATIONS



DUP-PW-006

160 / 180 bar X-Frame Gasoline Pressure Washer

- Working / maximum pressure: 160 / 180 bar
- Pressure equivalent: 2,320 / 2,610 psi
- Water flow: 7.5 / 9 L/min (2 / 2.4 gpm)
- Gasoline engine: 7 HP

PACKING

Outer carton: 55 × 47 × 50 cm
Quantity: 1 set/ctn
N.W. / G.W.: To be confirmed / 31 kg

MODEL SPECIFICATIONS



DUP-PW-007

170 bar Hose-Reel Cart Gasoline Pressure Washer

- Working / maximum pressure: Up to 170 bar
- Pressure equivalent: Up to 2,400 psi
- Water flow: 8-9 L/min (approx. 2.1-2.4 gpm)
- Gasoline engine: 7 HP

PACKING

Outer carton: 82 × 44 × 50 cm
Quantity: 1 set/ctn
N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS



DUP-PW-008

180 bar Hose-Reel Cart Gasoline Pressure Washer

- Working / maximum pressure: Up to 180 bar
- Pressure equivalent: 2,300-2,600 psi
- Water flow: 8-9 L/min (approx. 2.1-2.4 gpm)
- Gasoline engine: 7 HP

PACKING

Outer carton: 82 × 44 × 50 cm
Quantity: 1 set/ctn
N.W. / G.W.: To be confirmed / 32 kg

MODEL SPECIFICATIONS

CATEGORY 08 | 36 PRODUCT FAMILIES

GARDEN & OUTDOOR EQUIPMENT

**DUP-BL-001****20V Cordless Blower**

- Battery voltage: 18 V DC (20V Max platform)
- No-load speed: 0-18,000 rpm
- Rated airflow: 2.8 m³/min
- Net weight: 1.1 kg

PACKING

Outer carton: 51.5 × 28 × 39 cm
 Quantity: 6 pcs/ctn
 N.W. / G.W.: 1.1 kg / To be confirmed

MODEL SPECIFICATIONS**DUP-LM-008****1200W 320 mm Electric Lawn Mower**

- Voltage/frequency: 220-240 V, 50/60 Hz
- Rated input: 1,200 W
- No-load speed: 3,600 rpm
- Cutting width: 320 mm

PACKING

Outer carton: 63 × 43 × 33.5 cm
 Quantity: 1 pc/ctn
 N.W. / G.W.: 7 kg / 8.5 kg

MODEL SPECIFICATIONS**DUP-LM-009****1600W 380 mm Electric Lawn Mower**

- Voltage/frequency: 220-240 V, 50/60 Hz
- Rated input: 1,600 W
- No-load speed: 3,500 rpm
- Cutting width: 380 mm

PACKING

Outer carton: 69 × 46 × 33.5 cm
 Quantity: 1 pc/ctn
 N.W. / G.W.: 9 kg / 10.5 kg

MODEL SPECIFICATIONS**DUP-LM-010****1200W 340 mm Electric Lawn Mower**

- Voltage/frequency: 230 V, 50 Hz
- Rated input: 1,200 W
- No-load speed: 3,200 rpm
- Cutting width: 340 mm

PACKING

Outer carton: To be confirmed
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-LM-011****20V Brushless 340 mm Cordless Lawn Mower**

- Battery voltage: 18 V (20V Max platform)
- Battery: 4 Ah / 80 Wh
- No-load speed: 2,800 rpm
- Cutting width: 340 mm

PACKING

Outer carton: To be confirmed
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-LM-012****131cc 390 mm Push Gasoline Lawn Mower**

- Engine: 131 cc single-cylinder four-stroke OHV gasoline engine
- Starting system: recoil start
- Rated engine speed: 2,800 rpm
- Drive type: hand push

PACKING

Outer carton: 670 × 465 × 355 mm
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-LM-013****131cc 410 mm Push Gasoline Lawn Mower**

- Engine: 131 cc single-cylinder four-stroke OHV gasoline engine
- Maximum engine output: 2.4 kW
- Starting system: recoil start
- Rated engine speed: 2,800 rpm

PACKING

Outer carton: 725 × 520 × 420 mm (fabric-bag co...
 Quantity: 1 pc/ctn
 N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS

CATEGORY 08 | 36 PRODUCT FAMILIES

GARDEN & OUTDOOR EQUIPMENT

**DUP-LM-014****150cc 430 mm Self-Propelled Gasoline Lawn Mower**

- Engine: 150 cc single-cylinder four-stroke OHV gasoline engine
- Maximum engine output: 2.6 kW
- Starting system: recoil start
- Rated engine speed: 2,800 rpm

PACKING

Outer carton: 760 × 540 × 440 mm (half-plastic-b...

Quantity: 1 pc/ctn

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-LM-015****150cc 460 mm Push Gasoline Lawn Mower**

- Engine: 150 cc single-cylinder four-stroke OHV gasoline engine
- Maximum engine output: 2.6 kW
- Starting system: recoil start
- Rated engine speed: 2,800 rpm

PACKING

Outer carton: 790 × 555 × 440 mm (half-plastic-b...

Quantity: 1 pc/ctn

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-LM-016****150cc 460 mm Electric-Start Self-Propelled Gasoline Lawn Mower**

- Engine: 150 cc single-cylinder four-stroke OHV gasoline engine
- Maximum engine output: 2.6 kW
- Starting system: electric start with recoil backup
- Rated engine speed: 2,800 rpm

PACKING

Outer carton: 790 × 555 × 440 mm (half-plastic-b...

Quantity: 1 pc/ctn

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-LM-017****173cc 510 mm Push Gasoline Lawn Mower**

- Engine: 173 cc single-cylinder four-stroke OHV gasoline engine
- Maximum engine output: 3.0 kW
- Starting system: recoil start
- Rated engine speed: 2,800 rpm

PACKING

Outer carton: 740 × 588 × 380 mm

Quantity: 1 pc/ctn

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-LM-018****200cc 510 mm Electric-Start Self-Propelled Gasoline Lawn Mower**

- Engine: 200 cc single-cylinder four-stroke OHV gasoline engine
- Maximum engine output: 3.8 kW
- Starting system: electric start with recoil backup
- Rated engine speed: 2,800 rpm

PACKING

Outer carton: 865 × 580 × 440 mm (DV200 half-p...

Quantity: 1 pc/ctn

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-LM-019****200cc 530 mm Self-Propelled Gasoline Lawn Mower**

- Engine: 200 cc single-cylinder four-stroke OHV gasoline engine
- Maximum engine output: 3.8 kW
- Starting system: recoil start
- Rated engine speed: 2,800 rpm

PACKING

Outer carton: 885 × 580 × 480 mm (DV200 half-p...

Quantity: 1 pc/ctn

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS**DUP-LM-020****224cc 560 mm Electric-Start Self-Propelled Gasoline Lawn Mower**

- Engine: 224 cc single-cylinder four-stroke OHV gasoline engine
- Maximum engine output: 4.4 kW
- Starting system: electric start with recoil backup
- Rated engine speed: 2,800 rpm

PACKING

Outer carton: 865 × 605 × 480 mm (half-plastic-b...

Quantity: 1 pc/ctn

N.W. / G.W.: To be confirmed / To be confirmed

MODEL SPECIFICATIONS

CATEGORY 09 | 49 PRODUCT FAMILIES

POWER GENERATION & ENGINES



DUP-GG-001

0.65 kVA Rated Two-Stroke Open-Frame Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output: 0.8 kVA copper / 0.65 kVA aluminium
- Rated output: 0.65 kVA copper / 0.6 kVA aluminium
- Rated AC voltage options: 115 / 230 / 120 / 240 V

PACKING

Outer carton: 380 × 320 × 330 mm
Quantity: 1 set/ctn
N.W. / G.W.: 18 kg / 19 kg

MODEL SPECIFICATIONS



DUP-GG-002

0.65 kVA Rated Compact Two-Stroke Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output: 0.8 kVA copper / 0.65 kVA aluminium
- Rated output: 0.65 kVA copper / 0.6 kVA aluminium
- Rated AC voltage options: 115 / 230 / 120 / 240 V

PACKING

Outer carton: 380 × 320 × 330 mm
Quantity: 1 set/ctn
N.W. / G.W.: 18 kg / 19 kg

MODEL SPECIFICATIONS



DUP-GG-003

0.65 kVA Rated Carry-Handle Two-Stroke Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output: 0.8 kVA copper / 0.65 kVA aluminium
- Rated output: 0.65 kVA copper / 0.6 kVA aluminium
- Rated AC voltage options: 115 / 230 / 120 / 240 V

PACKING

Outer carton: 380 × 320 × 330 mm
Quantity: 1 set/ctn
N.W. / G.W.: 18 kg / 19 kg

MODEL SPECIFICATIONS



DUP-GG-004

0.9-1.0 kVA Rated Standard Open-Frame Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output: 1.2 kVA copper / 1.0 kVA aluminium
- Rated output: 1.0 kVA copper / 0.9 kVA aluminium
- Rated AC voltage options: 115 / 230 / 120 / 240 V

PACKING

Outer carton: 460 × 370 × 375 mm
Quantity: 1 set/ctn
N.W. / G.W.: 24 kg / 25 kg

MODEL SPECIFICATIONS



DUP-GG-005

0.9-1.0 kVA Rated Panel-Frame Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output: 1.2 kVA copper / 1.0 kVA aluminium
- Rated output: 1.0 kVA copper / 0.9 kVA aluminium
- Rated AC voltage options: 115 / 230 / 120 / 240 V

PACKING

Outer carton: 460 × 370 × 375 mm
Quantity: 1 set/ctn
N.W. / G.W.: 24 kg / 25 kg

MODEL SPECIFICATIONS



DUP-GG-006

0.9-1.0 kVA Rated Sloped-Panel Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output: 1.2 kVA copper / 1.0 kVA aluminium
- Rated output: 1.0 kVA copper / 0.9 kVA aluminium
- Rated AC voltage options: 115 / 230 / 120 / 240 V

PACKING

Outer carton: 460 × 370 × 375 mm
Quantity: 1 set/ctn
N.W. / G.W.: 24 kg / 25 kg

MODEL SPECIFICATIONS



DUP-GG-007

0.9-1.0 kVA Rated Yellow-Frame Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output: 1.2 kVA copper / 1.0 kVA aluminium
- Rated output: 1.0 kVA copper / 0.9 kVA aluminium
- Rated AC voltage options: 115 / 230 / 120 / 240 V

PACKING

Outer carton: 460 × 370 × 375 mm
Quantity: 1 set/ctn
N.W. / G.W.: 24 kg / 25 kg

MODEL SPECIFICATIONS

CATEGORY 09 | 49 PRODUCT FAMILIES

POWER GENERATION & ENGINES



DUP-GG-008

2.5-3.0 kVA Rated Open-Frame Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output options: 3.0 kVA copper / 2.8 kVA aluminium; 3.2 kVA...
- Rated output options: 2.8 kVA copper / 2.5 kVA aluminium; 3.0 kVA copper /...
- Rated AC voltage options: 115 / 230 / 120 / 240 / 230-400 V

PACKING

Outer carton: 605 × 440 × 440 mm
Quantity: 1 set/ctn
N.W. / G.W.: 44.5 kg / 46 kg

MODEL SPECIFICATIONS



DUP-GG-009

2.5-3.0 kVA Rated Wide-Panel Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output options: 3.0 kVA copper / 2.8 kVA aluminium; 3.2 kVA...
- Rated output options: 2.8 kVA copper / 2.5 kVA aluminium; 3.0 kVA copper /...
- Rated AC voltage options: 115 / 230 / 120 / 240 / 230-400 V

PACKING

Outer carton: 605 × 440 × 440 mm
Quantity: 1 set/ctn
N.W. / G.W.: 44.5 kg / 46 kg

MODEL SPECIFICATIONS



DUP-GG-010

2.5-3.0 kVA Rated Enclosed-Top Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output options: 3.0 kVA copper / 2.8 kVA aluminium; 3.2 kVA...
- Rated output options: 2.8 kVA copper / 2.5 kVA aluminium; 3.0 kVA copper /...
- Rated AC voltage options: 115 / 230 / 120 / 240 / 230-400 V

PACKING

Outer carton: 605 × 440 × 440 mm
Quantity: 1 set/ctn
N.W. / G.W.: 44.5 kg / 46 kg

MODEL SPECIFICATIONS



DUP-GG-011

2.5-3.0 kVA Rated Wheeled Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output options: 3.0 kVA copper / 2.8 kVA aluminium; 3.2 kVA...
- Rated output options: 2.8 kVA copper / 2.5 kVA aluminium; 3.0 kVA copper /...
- Rated AC voltage options: 115 / 230 / 120 / 240 / 230-400 V

PACKING

Outer carton: 605 × 440 × 440 mm
Quantity: 1 set/ctn
N.W. / G.W.: 44.5 kg / 46 kg

MODEL SPECIFICATIONS



DUP-GG-012

5.5-7.0 kVA Rated Open-Frame Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output: 7.5 kVA copper / 6.0 kVA aluminium
- Rated output: 7.0 kVA copper / 5.5 kVA aluminium
- Rated AC voltage options: 115 / 230 / 120 / 240 / 230-400 V

PACKING

Outer carton: 695 × 530 × 550 mm
Quantity: 1 set/ctn
N.W. / G.W.: 87.5 kg / 89 kg

MODEL SPECIFICATIONS



DUP-GG-013

5.5-7.0 kVA Rated Multi-Socket Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output: 7.5 kVA copper / 6.0 kVA aluminium
- Rated output: 7.0 kVA copper / 5.5 kVA aluminium
- Rated AC voltage options: 115 / 230 / 120 / 240 / 230-400 V

PACKING

Outer carton: 695 × 530 × 550 mm
Quantity: 1 set/ctn
N.W. / G.W.: 87.5 kg / 89 kg

MODEL SPECIFICATIONS



DUP-GG-014

5.5-7.0 kVA Rated Recessed-Panel Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output: 7.5 kVA copper / 6.0 kVA aluminium
- Rated output: 7.0 kVA copper / 5.5 kVA aluminium
- Rated AC voltage options: 115 / 230 / 120 / 240 / 230-400 V

PACKING

Outer carton: 695 × 530 × 550 mm
Quantity: 1 set/ctn
N.W. / G.W.: 87.5 kg / 89 kg

MODEL SPECIFICATIONS

CATEGORY 09 | 49 PRODUCT FAMILIES

POWER GENERATION & ENGINES



DUP-GG-015

5.5-7.0 kVA Rated Wheeled Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output: 7.5 kVA copper / 6.0 kVA aluminium
- Rated output: 7.0 kVA copper / 5.5 kVA aluminium
- Rated AC voltage options: 115 / 230 / 120 / 240 / 230-400 V

PACKING

Outer carton: 695 × 530 × 550 mm
Quantity: 1 set/ctn
N.W. / G.W.: 87.5 kg / 89 kg

MODEL SPECIFICATIONS



DUP-GG-016

10.5 kVA Rated V-Twin Three-Phase Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output: 12 kVA
- Rated output: 10.5 kVA
- Rated AC voltage: 220 / 380 V

PACKING

Outer carton: 1,070 × 900 × 1,150 mm
Quantity: 1 set/ctn
N.W. / G.W.: 135.4 kg / 137.9 kg

MODEL SPECIFICATIONS



DUP-GG-017

18 kVA Rated V-Twin Three-Phase Gasoline Generator

- Frequency: 50 / 60 Hz
- Maximum output: 20 kVA
- Rated output: 18 kVA
- Rated AC voltage: 220 / 380 V

PACKING

Outer carton: 1,070 × 900 × 1,150 mm
Quantity: 1 set/ctn
N.W. / G.W.: 178 kg / 180.5 kg

MODEL SPECIFICATIONS



DUP-IG-001

1000W Rated Compact Inverter Generator

- Frequency: 50 Hz
- Running power: 1,000 W
- Maximum power: 1,100 W
- Engine: 56 cc four-stroke air-cooled

PACKING

Outer carton: 470 × 320 × 440 mm
Quantity: 1 set/ctn
N.W. / G.W.: 12 kg / 14 kg

MODEL SPECIFICATIONS



DUP-IG-002

1800W Rated Portable Inverter Generator

- Frequency: 50 Hz
- Running power: 1,800 W
- Maximum power: 2,000 W
- Engine: 79 cc four-stroke air-cooled

PACKING

Outer carton: 526 × 335 × 512 mm
Quantity: 1 set/ctn
N.W. / G.W.: 18.5 kg / 20.5 kg

MODEL SPECIFICATIONS



DUP-IG-003

2000W Rated Portable Inverter Generator

- Frequency: 50 Hz
- Running power: 2,000 W
- Maximum power: 2,200 W
- Engine: 98 cc four-stroke air-cooled

PACKING

Outer carton: 526 × 335 × 512 mm
Quantity: 1 set/ctn
N.W. / G.W.: 18.5 kg / 20.5 kg

MODEL SPECIFICATIONS



DUP-IG-004

3.0 kW Rated Compact Inverter Generator

- Frequency: 50 Hz
- Running / maximum power: 3,000 W / 3,200 W
- Phase: Single phase
- Rated current: 13 A

PACKING

Outer carton: 585 × 370 × 530 mm
Quantity: 1 set/ctn
N.W. / G.W.: 22.5 kg / 24.5 kg

MODEL SPECIFICATIONS

CATEGORY 09 | 49 PRODUCT FAMILIES

POWER GENERATION & ENGINES

**DUP-IG-005****3.8 kW Rated
Extended-Runtime Inverter
Generator**

- Frequency: 50 Hz
- Running / maximum power: 3,800 W / 4,000 W
- Phase: Single phase
- Rated current: 16.5 A

PACKING

Outer carton: 660 × 440 × 613 mm
Quantity: 1 set/ctn

N.W. / G.W.: 36 kg / 40 kg

MODEL SPECIFICATIONS**DUP-IG-006****6.0 kW Rated Remote-Start
Inverter Generator**

- Frequency: 50 Hz
- Running / maximum power: 6,000 W / 6,200 W
- Phase: Single phase
- Rated current: 15.2 A

PACKING

Outer carton: 730 × 560 × 605 mm
Quantity: 1 set/ctn

N.W. / G.W.: 60 kg / 65 kg

MODEL SPECIFICATIONS**DUP-IG-007****8.2 kW Rated Remote-Start
Inverter Generator**

- Frequency: 50 Hz
- Running / maximum power: 8,200 W / 8,500 W
- Phase: Single phase
- Rated current: 35.6 A

PACKING

Outer carton: 764 × 667 × 731 mm
Quantity: 1 set/ctn

N.W. / G.W.: 82 kg / 86 kg

MODEL SPECIFICATIONS**DUP-IG-008****2.8 kVA Rated Open-Frame
Inverter Generator**

- Frequency: 50 / 60 Hz
- Rated / maximum output: 2.8 kVA / 3.0 kVA
- Rated AC voltage options: 110 / 120 / 220 / 230 / 240 / 120-240 V
- DC output: USB 5 V / 2.1 A plus 12 V DC

PACKING

Outer carton: 480 × 410 × 490 mm
Quantity: 1 set/ctn

N.W. / G.W.: 30 kg / 31.5 kg

MODEL SPECIFICATIONS**DUP-IG-009****3.5 kVA Rated Open-Frame
Inverter Generator**

- Frequency: 50 / 60 Hz
- Rated / maximum output: 3.5 kVA / 3.8 kVA
- Rated AC voltage options: 110 / 120 / 220 / 230 / 240 / 120-240 V
- DC output: USB 5 V / 2.1 A plus 12 V DC

PACKING

Outer carton: 480 × 410 × 490 mm
Quantity: 1 set/ctn

N.W. / G.W.: 30 kg / 31.5 kg

MODEL SPECIFICATIONS**DUP-DG-001****2.8 kVA Rated
Open-Frame Diesel
Generator**

- Frequency: 50 / 60 Hz
- Rated / maximum output: 2.8 kVA / 3.0 kVA
- Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V
- Phase / power factor: Single phase cos $\phi = 1$ or three phase cos $\phi = 0.8$

PACKING

Outer carton: 700 × 480 × 590 mm
Quantity: 1 set/ctn

N.W. / G.W.: 66 kg / 68 kg

MODEL SPECIFICATIONS**DUP-DG-002****3.0 kVA Rated
Open-Frame Diesel
Generator**

- Frequency: 50 / 60 Hz
- Rated / maximum output: 3.0 kVA / 3.3 kVA
- Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V
- Phase / power factor: Single phase cos $\phi = 1$ or three phase cos $\phi = 0.8$

PACKING

Outer carton: 700 × 480 × 590 mm
Quantity: 1 set/ctn

N.W. / G.W.: 68 kg / 70 kg

MODEL SPECIFICATIONS

CATEGORY 09 | 49 PRODUCT FAMILIES

POWER GENERATION & ENGINES



DUP-DG-003
4.6 kVA Rated Open-Frame Diesel Generator
• Frequency: 50 / 60 Hz
• Rated / maximum output: 4.6 kVA / 5.0 kVA
• Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V
• Phase / power factor: Single phase cos ϕ = 1 or three phase cos ϕ = 0.8

PACKING
Outer carton: 730 × 495 × 620 mm
Quantity: 1 set/ctn
N.W. / G.W.: 100 kg / 102 kg

MODEL SPECIFICATIONS



DUP-DG-004
5.0 kVA Rated Open-Frame Diesel Generator
• Frequency: 50 / 60 Hz
• Rated / maximum output: 5.0 kVA / 5.5 kVA
• Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V
• Phase / power factor: Single phase cos ϕ = 1 or three phase cos ϕ = 0.8

PACKING
Outer carton: 730 × 495 × 620 mm
Quantity: 1 set/ctn
N.W. / G.W.: 101 kg / 103 kg

MODEL SPECIFICATIONS



DUP-DG-005
5.5 kVA Rated Open-Frame Diesel Generator
• Frequency: 50 / 60 Hz
• Rated / maximum output: 5.5 kVA / 6.0 kVA
• Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V
• Phase / power factor: Single phase cos ϕ = 1 or three phase cos ϕ = 0.8

PACKING
Outer carton: 730 × 495 × 620 mm
Quantity: 1 set/ctn
N.W. / G.W.: 102 kg / 104 kg

MODEL SPECIFICATIONS



DUP-DG-006
6.0 kVA Rated Open-Frame Diesel Generator
• Frequency: 50 / 60 Hz
• Rated / maximum output: 6.0 kVA / 6.5 kVA
• Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V
• Phase / power factor: Single phase cos ϕ = 1 or three phase cos ϕ = 0.8

PACKING
Outer carton: 730 × 495 × 620 mm
Quantity: 1 set/ctn
N.W. / G.W.: 106 kg / 108 kg

MODEL SPECIFICATIONS



DUP-SDG-001
4.2 kVA Rated Silent Diesel Generator
• Frequency: 50 / 60 Hz
• Rated output: 4.2 kVA
• Maximum output: 4.5 kVA
• Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V or...

PACKING
Outer carton: 940 × 540 × 670 mm
Quantity: 1 set/ctn
N.W. / G.W.: 149 kg / 152 kg

MODEL SPECIFICATIONS



DUP-SDG-002
4.8 kVA Rated Silent Diesel Generator
• Frequency: 50 / 60 Hz
• Rated output: 4.8 kVA
• Maximum output: 5.0 kVA
• Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V or...

PACKING
Outer carton: 940 × 540 × 670 mm
Quantity: 1 set/ctn
N.W. / G.W.: 152 kg / 155 kg

MODEL SPECIFICATIONS



DUP-SDG-003
5.5 kVA Rated Silent Diesel Generator
• Frequency: 50 / 60 Hz
• Rated output: 5.5 kVA
• Maximum output: 6.0 kVA
• Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V or...

PACKING
Outer carton: 940 × 540 × 670 mm
Quantity: 1 set/ctn
N.W. / G.W.: 147 kg / 157 kg

MODEL SPECIFICATIONS



DUP-SDG-004
6.5 kVA Rated Silent Diesel Generator
• Frequency: 50 / 60 Hz
• Rated output: 6.5 kVA
• Maximum output: 7.0 kVA
• Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V or...

PACKING
Outer carton: 940 × 540 × 670 mm
Quantity: 1 set/ctn
N.W. / G.W.: 150 kg / 160 kg

MODEL SPECIFICATIONS

CATEGORY 09 | 49 PRODUCT FAMILIES

POWER GENERATION & ENGINES



DUP-SDG-005
7.5 kVA Rated Silent Diesel Generator

- Frequency: 50 / 60 Hz
- Rated output: 7.5 kVA
- Maximum output: 8.0 kVA
- Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V or...

PACKING
Outer carton: 1,110 × 550 × 670 mm
Quantity: 1 set/ctn
N.W. / G.W.: 170 kg / 173 kg

MODEL SPECIFICATIONS



DUP-SDG-006
8.0 kVA Rated Silent Diesel Generator

- Frequency: 60 Hz
- Rated output: 8.0 kVA
- Maximum output: 8.8 kVA
- Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V or...

PACKING
Outer carton: 1,065 × 635 × 745 mm
Quantity: 1 set/ctn
N.W. / G.W.: 195 kg / 198 kg

MODEL SPECIFICATIONS



DUP-SDG-007
9.5 kVA Rated Silent Diesel Generator

- Frequency: 60 Hz
- Rated output: 9.5 kVA
- Maximum output: 10 kVA
- Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V or...

PACKING
Outer carton: 1,145 × 695 × 815 mm
Quantity: 1 set/ctn
N.W. / G.W.: 220 kg / 223 kg

MODEL SPECIFICATIONS



DUP-SDG-008
10 / 11 kVA Rated Silent Diesel Generator

- Frequency: 50 / 60 Hz
- Rated output: 10 / 11 kVA
- Maximum output: Not separately stated
- Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V or...

PACKING
Outer carton: 1,125 × 675 × 890 mm
Quantity: 1 set/ctn
N.W. / G.W.: 257 kg / 260 kg

MODEL SPECIFICATIONS



DUP-SDG-009
12 / 13 kVA Rated Silent Diesel Generator

- Frequency: 50 / 60 Hz
- Rated output: 12 / 13 kVA
- Maximum output: Not separately stated
- Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V or...

PACKING
Outer carton: 1,125 × 675 × 890 mm
Quantity: 1 set/ctn
N.W. / G.W.: 269 kg / 272 kg

MODEL SPECIFICATIONS



DUP-SDG-010
14 kVA Rated Silent Diesel Generator

- Frequency: 50 Hz
- Rated output: 14 kVA
- Maximum output: Not separately stated
- Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V or...

PACKING
Outer carton: 1,190 × 725 × 940 mm
Quantity: 1 set/ctn
N.W. / G.W.: 312 kg / 315 kg

MODEL SPECIFICATIONS



DUP-SDG-011
16 kVA Rated Silent Diesel Generator

- Frequency: 50 Hz
- Rated output: 16 kVA
- Maximum output: Not separately stated
- Rated AC voltage options: 110 / 230 / 120-240 / 230-400 V or...

PACKING
Outer carton: 1,130 × 695 × 875 mm
Quantity: 1 set/ctn
N.W. / G.W.: 308 kg / 311 kg

MODEL SPECIFICATIONS

CATEGORY 09 | 49 PRODUCT FAMILIES

POWER GENERATION & ENGINES

**DUP-GE-001****3 HP 98 cc OHV Gasoline Engine**

- Type: Single-cylinder forced-air-cooled OHV four-stroke carburetor gasoline...
- Displacement / horsepower: 98 cc / 3 HP
- Rated power: 1.7 kW / 3,600 rpm
- Maximum torque: 6.2 N·m / 2,600 rpm
- Fuel consumption: ≤390 g/kWh

PACKING

Outer carton: 350 × 335 × 380 mm
Quantity: 1 pc/ctn
N.W. / G.W.: 11 kg / 12 kg

MODEL SPECIFICATIONS**DUP-GE-002****5.5 HP 163 cc OHV Gasoline Engine**

- Type: Single-cylinder forced-air-cooled OHV four-stroke carburetor gasoline...
- Displacement / horsepower: 163 cc / 5.5 HP
- Rated power: 3.6 kW / 3,600 rpm
- Maximum torque: 10.3 N·m / 2,500 rpm
- Fuel consumption: ≤385 g/kWh

PACKING

Outer carton: 390 × 325 × 345 mm
Quantity: 1 pc/ctn
N.W. / G.W.: 17 kg / 18 kg

MODEL SPECIFICATIONS**DUP-GE-003****6.5 HP 196 cc OHV Gasoline Engine**

- Type: Single-cylinder forced-air-cooled OHV four-stroke carburetor gasoline...
- Displacement / horsepower: 196 cc / 6.5 HP
- Rated power: 4.1 kW / 3,600 rpm
- Maximum torque: 12.4 N·m / 2,500 rpm
- Fuel consumption: ≤385 g/kWh

PACKING

Outer carton: 390 × 325 × 345 mm
Quantity: 1 pc/ctn
N.W. / G.W.: 17 kg / 18 kg

MODEL SPECIFICATIONS**DUP-GE-004****7 HP 212 cc OHV Gasoline Engine**

- Type: Single-cylinder forced-air-cooled OHV four-stroke carburetor gasoline...
- Displacement / horsepower: 212 cc / 7 HP
- Rated power: 4.4 kW / 3,600 rpm
- Maximum torque: 12.5 N·m / 2,500 rpm
- Fuel consumption: ≤385 g/kWh

PACKING

Outer carton: 390 × 325 × 345 mm
Quantity: 1 pc/ctn
N.W. / G.W.: 17 kg / 18 kg

MODEL SPECIFICATIONS**DUP-GE-005****15 HP 420 cc OHV Gasoline Engine**

- Type: Single-cylinder forced-air-cooled OHV four-stroke carburetor gasoline...
- Displacement / horsepower: 420 cc / 15 HP
- Rated power: 8.8 kW / 3,600 rpm
- Maximum torque: 26.5 N·m / 2,500 rpm
- Fuel consumption: ≤374 g/kWh

PACKING

Outer carton: 515 × 435 × 480 mm
Quantity: 1 pc/ctn
N.W. / G.W.: 33 kg / 35 kg

MODEL SPECIFICATIONS**DUP-GE-006****17 HP 458 cc OHV Gasoline Engine**

- Type: Single-cylinder forced-air-cooled OHV four-stroke carburetor gasoline...
- Displacement / horsepower: 458 cc / 17 HP
- Rated power: 9.7 kW / 3,600 rpm
- Maximum torque: 29.4 N·m / 2,500 rpm
- Fuel consumption: ≤374 g/kWh

PACKING

Outer carton: 515 × 435 × 480 mm
Quantity: 1 pc/ctn
N.W. / G.W.: 33 kg / 35 kg

MODEL SPECIFICATIONS

FROM PRODUCT MATCH TO SHIPMENT HANDOVER

PRACTICAL BUYER AND EXPORT SUPPORT

A clear, order-by-order workflow keeps model, branding, packaging and market requirements aligned before production.

01

PRODUCT SELECTION

Shortlist products by market, target user, channel and price position.

02

MODEL CONFIRMATION

Align voltage, power, features, accessories and commercial configuration.

03

PACKAGING DATA

Confirm carton dimensions, units per carton, net weight and gross weight by model.

04

DOCUMENTATION

Review compliance-document needs by exact model and destination market.

05

ORDER FOLLOW-UP

Track approvals, production milestones, inspection scope and open items.

06

EXPORT HANDOVER

Prepare export documents and coordinate the agreed shipment handover.

DUPOW

START WITH YOUR MARKET

BUILD A FOCUSED RANGE. SCALE WHAT WORKS.

Share your target category, market, channel and price position. We will prepare a focused shortlist and confirm the information required before quotation.

COMPANY AND CONTACT

COMPANY	Ningbo Hopes Import and Export Co., Ltd.
BRAND	DUPOW
CONTACT	Ivan Ching
EMAIL	ivanching05@gmail.com
WHATSAPP / WECHAT	+86 139 6789 7129
ADDRESS	Room 705, MC Building, No. 385 Tianzhi Street, Yinzhou District, Ningbo 315100, China
WEBSITE	https://dupowtools.com/

Power Tools. Practical Sourcing. Reliable Execution.

DUPOW Product Catalogue 2026 | Edition 11 | 314 product families | 50 pages

Product availability, specifications, packaging and documentation are confirmed before quotation.