

REPRESENTATIVE PRE-SHIPMENT EVIDENCE

High-Cart Airless Paint Sprayer Inspection Record

Public summary - source inspection date: 30 August 2026

Public-release boundary

Customer, order, source-model, factory, external-brand and personnel identifiers have been removed. Results apply only to the 13-unit inspection sample and are not a product certification or a guarantee for another order.

Record overview

Website reference	DUP-AS-002	Product	High-cart airless paint sprayer
Inspection date	30 August 2026	Order quantity	200 units
Sample quantity	13 units	Sampling reference	GB/T 2828.1-2003, General Level I
AQL	Critical 0 / Major 1.5 / Minor 4.0	Packaging	45 x 45 x 45 cm; net 8.6 kg; gross 14.2 kg

Recorded operating and safety values

Condition / test	Recorded value
Recirculation	3.20 A / 382 W / 2.0 L/min
Spray gun open	5.36 A / 621 W / 1.1 L/min / 148 bar
Spray gun stopped	192 bar
Dielectric strength	1,500 V; 0.634 mA recorded
Protective grounding	25 A; 46 mOhm recorded
Insulation resistance	500 V; 852.4 MOhm recorded



Current DUPOW family image; source identifiers are not reproduced.

Selected inspection evidence



Pressure, flow and electrical readings preserved from the source record.



Functional and electrical-safety test photographs.



Motor and component inspection photographs.

Interpretation

Measured values are transcribed from the supplied internal record. Certificate ownership, market applicability and the exact ordered configuration remain subject to separate document review.